Author Index to Volumes 33 and 34

Please note that A refers to Volume 33 and B refers to Volume 34.

Abd-El-Hakim, A. A.
—; Badran, A. S.: Surface Modification of Egyptian Delta Titano Magnetite Ore and Its Effect on the Aqueous Polymerization of Methyl Methacrylate, 1977A
Abd-El-Nour, K. N. See Hakim, I. K., 2439A
Abhiraman, A. S.
—; Hagler, G. E.: Melt Spinning of Polymers I. An Elementary Framework for Analyzing the Development of Orientation, 809A
Absi-Halabi, M.
—; Lahalih, S. M.; Al-Khaled, T.: Water-Soluble Sulfonated Amino-Formaldehyde Resins. I. Melamine Resins, Synthesis, 2975A
—; See Lahalih, S. M., 2997A, 3005A
Abu-Zeid, M. E.
—; Amer, M. F.; Ollis, W. D.: Evidence of Pyrene Formation in Butadiene–Styrene-Based Rubber Subjected to UV Irradiation, 489B
Achary, P. S. See Ramaswamy, R., 49A
Adeniyi, J. B.
—; Al-Malaika, S.; Scott, G.: Mechanisms of Antioxidant Action: The Effect of Spin Traps During the Processing and Photooxidation of PVC, 2673B
Adhikari, M. S.
—; Sarkar, S.; Banerjee, M.; Konar, R. S.: Thermal Decomposition of Potassium Persulfate in Aqueous Solution at 50°C in the Presence of Ethyl Acrylate, 109B
Adnot, A. See Ahmed, A., 359B
Agari, Y.
—; Tanaka, M.; Nagai, S.; Uno, T.: Thermal Conductivity of a Polymer Composite Filled with Mixtures of Particles, 1429B
Agarwal, H. K. See Mendenhall, G. D., 1259A
Agrawal, J. P.
—; Kulkarni, K. S.: Erratum to "Tetrachlorophthalic Anhydride-Based Flame-Retardant Chloropolyesters for Inhibition of Double-Base Propellants," 2263A
Ahiedu, H. See Okieimen, E. F., 737B
Ahmed, A.
—; Adnot, A.; Kaliaguine, S.: ESCA Study of the Solid Residues of Supercritical Extraction of Populus Tremuloïdes in Methanol, 359B
Ajji, A.
—; Schreiber, H. P.: Rates of Property Change in Plasticized Filled PVC Compounds, 2493A
Akashi, M. See Miyauchi, N., 2601B
Albornoz, A. See Muñoz-Escalona, A., 977B
Alföldi, J. See Simkovic, I., 2651A, 2063B
Al-Khaled, T. See Absi-Halabi, M., 2975A
Al-Malaika, S. See Adeniyi, J. B., 2673B
—; Marogi, A.; Scott, G.: Mechanisms of Antioxidant Action: Transformations Involved in the Antioxidant Function of Metal Dialkyl Dithiocarbamates. III, 1455A
—; Omikorede, E. O.; Scott, G.: Mechanisms of Antioxidant Action: Mechanochemical Transformation Products of 2,2,6,6-Tetramethyl-4-Hydroxypiperidinoxyl in Polypropylene, 703A
Amer, M. F. See Abu-Zeid, M. E., 489B
Anand, R. C. See Varma, I. K., 1377A
Andersson, C.-H. See Otterstedt, O. E., 2575B
Ando, M.
—; Uryu, T.: Synthesis of Polymer Materials by Low Energy Electron Beam. I. Polyurethane–Acrylate Materials Prepared by the EB and the UV Solid-State Polymerization, 1793A
Ando, T. See Kubota, S., 1763A
—; See Sada, E., 305A
Andrady, A. L.
—; Shultz, A. R.: Light Stabilization of Polymers Using Opaque Pigments, 1389A
—; See Shultz, A. R., 2249A
Andreeva, T. N. See Gaponik, P. N., 769A
Andreopoulos, A. G. See Kampouris, E. M., 1209B
—; New Crosslinking Agents for Vinyl Polymers, 2389B
Andrews, E. H. See Bhateja, S. K., 2305A, 2809B
Antal, M. See Simkovic, I., 1955A, 2651A, 1057B, 1779B, 2063B
Apicella, A. See Nicolais, L., 2077A
Arai, K. See Hasegawa, M., 411A
Arief, M. M. H. See Shaaban, A. F., 1735A
Arumugam, V. See Somanathan, N., 2299B
Asakura, T. See Nishiyama, N., 1619B
Auyeung, K. F. See Gupta, R. K., 2469B
Awodi, Y. W.
—; Johnson, A.; Peters, R. H.; Popoola, A. V.: The Aminolysis of Poly(ethylene terephthalate), 2503A
Aziz, A. W. See Hakim, I. K., 2439A

Backman, J. See Otterstedt, O. E., 2575B
Badran, A. S. See Abd-El-Hakim, A. A., 1977A
Bahadir, M. See Kraxenberger, M., 2069B
—; See Mair, P., 1345B
Bajaj, P.
—; Jha, N. K.; Maurya, P. L.; Misra, A. C.: Flame Retardation of Polypropylene: Effect of Organoantimony Compounds on the Structural and Mechanical Properties, 1785B
Balaraman, K. S.
—; Kulkarni, B. D.; Mashelkar, R. A.; Madhavan, K. P.: Erratum to "Nonisothermal Bulk Copolymerization of Styrene and Methylmethacrylate in a CSTR: Multiplicity and Stability Analysis," 241A
Baldrian, J. See Masiulanis, B., 1941B
Balog, K. See Simkovic, I., 1057B
Ban, H.
—; Sukegawa, K.: The Importance of Organosilate Polymer Photo-Oxidation in Resist Pattern Fabrication, 2787A
Banerjee, M. See Adhikari, M. S., 109B
Banthia, A. K. See Konar, J., 431B
Barea, J. L. See Muller, R., 289A
Barlow, J. W. See Christiansen, W. H., 537B
—; See Tucker, P. S., 1817B
Barrie, J. A.
—; Sagoo, P. S.; Johncock, P.: The Sorption and Diffusion of Water in Bismaleimide Resin, 2253A
Basu, D. K. See Das, P. K., 1977B
Bauer, D. R. See Qaderi, S. B. A., 2313B
Beck, K. R. See Pasad, D.M., 549B
Bell, J. P. See Chang, J., 2105B
Bell, W. P.
—; Edie, D. D.: Calculated Internal Stress Distributions in Melt-Spun Fibers, 1073A
—; Edie, D. D.: Measured Orientation and Internal Stress Distributions in Melt-Spun Fibers, 1089A

Bellenger, V.
—; Dhaoui, W.; Verdu, J.: Packing Density of Nonstoichiometric Epoxide-Amine Networks, 2647A
Beltrame, P. L.
—; Dubini-Paglia, E.; Marcandalli, B.; Sadocco, P.; Seves, A.: Effect of Poly(Ethylene Terephthalate) Morphology on Thermal *cis–trans* Isomerization and Photofading of Some Azo Dyes: A Kinetic Study, 2965A
Beluza, Y. M. See Zhorin, V. A., 677B
Bentz, D. P. See Martin, J. W., 377B
Berger, W.
—; Ludwig, U.; Hauffe, W.; Karasz, F. E.: Cold Drawing of Polyethylene Terephthalate/Polyethylene Films, 919B
Besio, G. J.
—; Leavesley, I. M.; Prud'homme, R. K.; Farinato, R.: Electric Birefringence Measurements of Native, Denatured, and Renatured Xanthan, 825A
Bhagawan, S. S.
—; Tripathy, D. K.; De, S. K.: Effect of Fillers on Thermoplastic 1,2-Polybutadiene Rubber: Mechanical and Viscoelastic Properties, 1581B
—; Tripathy, D. K.; De, S. K.: Stress Relaxation in Short Jute Fiber-Reinforced Nitrile Rubber Composites, 1623A
Bhateja, S. K.
—; Andrews, E. H.: Effect of High Energy Radiation on the Stress-Relaxation of Ultra-High Molecular Weight Linear Polyethylene, 2809B
—; Gilbert, J. R.; Andrews, E. H.: Uniaxial Compaction Behavior of Filled Polymer Powders, 2305A
Bhatnagar, H. L. See Jain, R. K., 247A
Bhattacharya, V. K.
—; Maiti, M. M.; Maiti, S.: Cement Mortar Impregnated with Poly(Methyl Methacrylate-co-Styrene), 1645B
Bhattacharyya, B. C. See Chatterjee, S., 2769A
Bhowmick, A. K. See Deuri, A. S., 2205B
—; Rampalli, S.; Gallagher, K.; Seeger, R.; McIntyre, D.: The Degradation of Guayule Rubber and the Effect of Resin Components on Degradation at High Temperature, 1125A
Bindschaedler, C.
—; Gurny, R.; Doelker, E.: Influence of Emulsifiers on Film Formation from Cellulose Acetate Latexes Experimental Study of Phase Separation Phenomena Due to Sodium Dodecyl Sulfate. I., 2631B
Björk, F.
—; Stenberg, B.: Effects of *Trans*-Polyoctenylene on the Mechanical Properties of NBR, 2649B
Blair, H. S.
—; Guthrie, J.; Law, T.-K.; Turkington, P.: Chitosan and Modified Chitosan Membranes I. Preparation and Characterization, 641A
—; See McKay, G., 1249A
Blazquez, I.
—; Vicente, F.; Gallo, B.; Ortiz, I.; Irabien, A.: Application of Chitosan to Cobalt Recovery: Evaluation by Factorial Design of Experiments, 2107A
Bloom, M. See Menon, R. S., 1141A
Blum, F. D. See O'Connor, D., 1933A
Boyer, R. F.
Reinterpretation of the DSC Data for Atactic Polystyrenes by Stadnicki et al., 955A
Bradbury, J. H. See Perera, M. C. S., 2731A
Brar, A. S.
—; Saini, A. K.; Puri, R. K.: Mössbauer Studies of Methylmethacrylate and Ethyl Methacrylate Copolymers Containing Ferric Chloride, 1447A
Broughton, R. L. See Stevenson, W. T. K., 65B
Buck, R. P. See Reid, J. D., 2293A
Bugada, D. C.
—; Gagnon, R.; Rudin, A.: Specific Refractive Index Increments of Ethylene–Vinyl Acetate Copolymers in Trichlorobenzene Solutions at 145°C, 501B
—; Rudin, A.: Sizes of Long Branches in Low Density Polyethylenes, 87A
Bujor, I. I. See Vilcu, R., 2431A
Burford, R. P. See Yao, C. W., 2399B
Burgess, A. E. See Menon, R. S., 1141A
Burkhardt, C. W. See McCarthy, K. J., 1683A, 1699A, 1311B
Burks, H. D.
—; St. Clair, T. L.: Siloxane-Modified Polyethersulfideimide, 351B
Burns, C. M. See Kim, W. N., 945B
—; See Phatak, A., 1835B
Burr, R. C. See Fanta, G. F., 899A, 907A
Bykov, V. A. See Zhorin, V. A., 677B
Byrd, W. E. See Martin, J. W., 377B

Can, Z. See Carlsson, D. J., 875A
Carlsson, D. J.
—; Can, Z.; Wiles, D. M.: Polypropylene Photostabilization by Hindered Amines in the Presence of Acidic Species, 875A
Carr, C. M.
—; Leaver, I. H.: Photoprotective Agents for Wool. Synergism Between UV Absorbers and Antioxidants, 2087A
Carrasco, F.
—; Chornet, E.; Overend, R. P.: Thermomechanochemical Depolymerization of Dextrans in Aqueous Phase, 153B
Carter III, R. O. See Peck, M. C. P., 77A
Cassatta, J. C. See Chattha, M. S., 1829A
Cawse, J. L.
—; Stanford, J. L.; Still, R. H.: Erratum to "Polymers from Renewable Sources IV Polyurethane Elastomers Based on Myrcene Polyols," 997A
—; Stanford, J. L.; Still, R. H.: Erratum to "Polymers from Renewable Sources III Hydroxy-Terminated Myrcene Polymers," 1445A
—; Stanford, J. L.; Still, R. H.: Polymers from Renewable Sources. III. Hydroxy-Terminated Myrcene Polymers, 2217A
—; Stanford, J. L.; Still, R. H.: Polymers from Renewable Sources. IV. Polyurethane Elastomers Based on Myrcene Polyols, 2231A
Cebe, P.
—; Chung, S. Y.; Hong, S.-D.: Effect of Thermal History on Mechanical Properties of Polyetheretherketone below the Glass Transition Temperature, 487A
—; Lowry, L.; Chung, S. Y.; Yavrouian, A.; Gupta, A.: Wide-Angle X-Ray Scattering Study of Heat-Treated PEEK and PEEK Composite, 2273B
Ceckler, W. H. See Hall, J. A., 2029A
Čefelin, P. See Mikešová, J., 507B
Chadda, S. K.
—; McCarry, B. E.; Childs, R. F.; Rogerson, C. V.; Tse-Sheepy, I. O.; Dickson, J. M.: Novel Thin-Film Composite Membranes Containing Photoreactive Groups Part I: Choosing the Photoreactive Group, 2713B
Chakraborty, B. C. See Deb, P. C., 775B
Chakraborty, S. K.
—; Mukherjee, D. P.: The Effect of Inorganic Peroxide on Natural Rubber–Carbon Black System, 2623B
Chakravarty, S. N. See Mukherjee, A. K., 913B
Chan, S.-C. See Chiang, W.-Y., 127B
Chang, J.
—; Bell, J. P.; Shkolnik, S.: Electro-Copolymerization of Acrylonitrile and Methyl Acrylate onto Graphite Fibers, 2105B
Chang, M. C. O.
—; Thomas, D. A.; Sperling, L. H.: Characterization of the Area Under Loss Modulus and Tan δ–Temperature Curves: Acrylic Polymers and Their Sequential Interpenetrating Polymer Networks, 409B
Chatterjee, S.
—; Bhattacharyya, B. C.: Chemical Modification of

Polystyrene. VII. Optimization of Reaction Conditions for the Synthesis of Polystyrene Pyromellitic Dianhydride Condensate, 2769A
Chattha, M. S.
—; Cassatta, J. C.; Siegl, W. O.: Cure of Epoxy Resins with a New Dicarboxy-bis-Azomethine, 1829A
Chee, K. K.
A Critical Evaluation of the Single-Point Determination of Intrinsic Viscosity, 891B
Correlation Between Unperturbed Parameter and Critical Molecular Weight of Flexible Polymers, 1067A
Chen, C.-M. See Lee, Y.-D., 1231A
Chen, D. S. See Shyu, S. S., 2151B
Chen, J.-Y.
—; Pusch, W.: Solute–Membrane Interactions in Hyperfiltration, 1809A
Chen, K. M.
—; Liu, H. J.: Preparation and Surface Activity of Water-Soluble Polyesters, 1879B
Chen, S.
—; Spruiell, J. E.: Structure and Properties of High-Speed Melt-Spun Filaments of Poly(butylene Terephthalate), 1427A
—; Yu, W.; Spruiell, J. E.: On-Line Studies of Structure Development during Melt Spinning of Poly(butylene Terephthalate), 1477B
Cheng, H. N.
—; Smith, D. A.: ^{13}C-NMR Determination of the Tacticity of Polyepichlorohydrin, 909B
Chern, C.-S.
—; Poehlein, G. W.: Reaction Kinetics of Vinyl Acetate Emulsion Polymerization, 2117A
Chiang, W.-Y.
—; Chan, S.-C.: Preparation and Properties of Photocurable Unsaturated Oligoester Acrylourethanes, 127B
—; Lo, M.-S.: Cooling and Annealing Properties of Copolymer-Type Polyacetals and Its Crystallization Behavior, 1997B
Childs, R. F. See Chadda, S. K., 2713B
Chin, W.-K. See Lee, Y.-D., 2265A, 2267A
Chiou, J. S.
—; Maeda, Y.; Paul, D. R.: Gas Permeation in Polyethersulfone, 1823A
—; Paul, D. R.: Gas Permeation in Miscible Blends of Poly(methyl methacrylate) with Bisphenol Chloral Polycarbonate, 2935A
—; Paul, D. R.: Gas Permeation in Miscible Homopolymer–Copolymer Blends. I. Poly(methyl Methacrylate) and Styrene/Acrylonitrile Copolymers, 1037B
—; Paul, D. R.: Gas Permeation in Miscible Homopolymer–Copolymer Blends: II. Tetramethyl Bisphenol-A Polycarbonate and a Styrene/Acrylonitrile Copolymer, 1503B
Chiu, W.-Y.
—; Shyu, G.-D.: The Study on Die Swell, Fiber Length Distribution, and Crystallinity of PP Composite Through Extrusion, 1493B
Choi, J. S. See Lee, S. H., 2537B
Choi, K. Y. See Hsu, J., 329A
Chornet, E. See Carrasco, F., 153B
Chou, Z. S. See Hsiue, G. H., 319B
Choudhary, M. S.
—; Fink, J. K.; Lederer, K.; Krässig, H. A.: Investigations of the Action of Flame Retardants in Cellulose II: Investigation of the Flame-Retardant Action of Polyphosphonitride in Cellulose, 863B
Chouinard, M. P. See Yang, H. H., 1399B
Christiansen, W. H.
—; Paul, D. R.; Barlow, J. W.: The Phase Behavior of Ternary Blends Containing Polycarbonate, Phenoxy, and Polycaprolactone, 537B
Chu, C.-H. See Vrentas, J. S., 587B
Chu, V. P.
—; Tarcha, P. J.: Protein-Reactive, Molded Polystyrene Surfaces Having Applications to Immunoassay Formats, 1917B
Chuang, J.-Y.
—; Sydor, R. J.: High Performance Size Exclusion Chromatography of Starch with Dimethyl Sulfoxide as the Mobile Phase, 1739B
Chung, E. J. See Kang, E. Y., 317A
Chung, S. Y. See Cebe, P., 487A, 2273B
Chuu, M. S.
—; Meyers, R. R.: The Effect of Moisture on the Dielectric Behavior of Poly(Vinyl Acetate)–Natural Rubber Blend, 1447B
Cohn, D.
—; Hoffman, A. S.; Ratner, B. D.: Radiation-Grafted Polymers for Biomaterial Applications. II. The Morphology and Structure of 2-Hydroxyethyl Methacrylate and Ethyl Methacrylate Homopolymer Grafts, 1A
Cole, K. C.
—; Van Gheluwe, P.; Hébrard, M. J.; Leroux, J.: Flexible Polyurethane Foam. I. FTIR Analysis of Residual Isocyanate, 395B
Connelly, R. W.
—; McCoy, N. R.; Koros, W. J.; Hopfenberg, H. B.; Stewart, M. E.: The Effect of Sorbed Penetrants on the Aging of Previously Dilated Glassy Polymer Powders. I. Lower Alcohol and Water Sorption in Poly(methyl Methacrylate), 703B
Cooney, J. D. See Day, M., 2041A
Coqueret, X. See Lemaitre, E., 2189A
Costa, M. C. P. See Winkler-Hechenleitner, A. A., 853B
Cozzens, R. F.
—; Walter, P.; Snow, A. W.: Laser Pyrolysis of Characterized Cyanurate Network Polymers, 601B
Crosby, C. M. See Yang, C.-F., 1145B

Dale, J. M.
—; Hulett, L. D.; Rosseel, T. M.; Fellers, J. F.: A Positron Annihilation Spectroscopy Study of Carbon-Epoxy Composites, 3055A
Daneault, C. See Kokta, B. V., 2517B
Danusso, F.
—; Tieghi, G.; Lestingi, A.: Polyester Molding Compounds: Partial Systems and Related Particulate Composites, 2137A
Das, A. P.
—; Nayak, P. L.; Lenka, S.: Synthetic Resins. V. Preparation and Properties of Substituted Benzoic Acid, Hydroxyacetophenone and Aniline/Formaldehyde Resins, 2139B
Das, P. K.
—; Datta, R. N.; Basu, D. K.: Retarding and Antioxidant Activity of 1-Cyclohexylthio-2-Mercaptobenzimidazole in the Vulcanization of NR Accelerated by Thiocarbamyl Sulfenamide, 1977B
Datta, R. N. See Das, P. K., 1977B
Da Silva, M. A.
—; Gil, M. H.; Lapa, E.; Guthrie, J. T.: Photosensitized Grafting of Acrylamide and Hydroxyethyl Methacrylate onto Cellulose, 871B
Dave, J.
—; Kumar, R.; Srivastava, H. C.: Studies on Modification of Polyester Fabrics I: Alkaline Hydrolysis, 455A
Davidson, R. G.
Pyrolysis-Evolved Gas-Infrared Spectroscopic Characterization of Poly(methyl methacrylate) Copolymer Glazing Materials, 1631B
Day, M.
—; Suprunchuk, T.; Cooney, J. D.; Wiles, D. M.: Flame Retardation of Poly(ethylene Terephthalate) Containing Poly(4-Bromo Styrene), Poly(vinyl Bromide), and Poly(vinylidene Bromide), 2041A
De, S. K. See Bhagawan, S. S., 1623A, 1581B
—; See Thomas, S., 2053B
Dean, B. D.
Styrene/Maleimide Copolymer/Poly(2-ethyl-2-oxazoline) Miscible Blends, 887B
—; Styrene/*N*-Phenylmaleimide Copolymer Miscible Blends, 2259A

Deb, P. C.
—; Chakraborty, B. C.; Samui, A. B.; Sankholkar, S. C.: Studies on Tri-*n*-Butyltin Methacrylate (TBTM). IV. Antifouling Compositions Based on Copolymers of Tri-*n*-Butyltin Methacrylate and Methyl Methacrylate, 775B
DeBlase, F. J.
—; Harrick, N. J.; Milosevic, M.: Nanosampling Internal Reflection FT-IR Study of Polymer Filaments, 2047B
De Candia, F.
—; Romano, G.; Russo, R., 211B
—; Russo, R.; Vittoria, V.: Mechanical Behavior of Quenched Isotactic Polypropylene Crystallized by Thermal and Solvent Treatments, 689B
Decker, C.
—; Moussa, K.: Photopolymerization of Multifunctional Monomers in Condensed Phase, 1603B
Deger, H.-M. See Franz, R., 1291A
Demetrescu, I. See Vîlcu, R., 2431A
Deopura, B. L. See Mishra, S. P., 759A
Deshmukh, S. R. See Malhotra, J. P., 2467A
—; Singh, R. P.: Drag Reduction Effectiveness, Shear Stability and Biodegradation Resistance of Guargum-Based Graft Copolymers, 1963A
Deshpande, D. D.
—; Tyagi, O. S.: Inverse Gas Chromatography of Poly(vinylisobutyl ethers) and Polymer-Solute Thermodynamic Interactions, 715A
—; See Tyagi, O. S., 2377B
Deslandes, Y.
Morphology of Hydroxyapatite as Suspension Stabilizer in the Polymerization of Poly(styrene-co-Butadiene), 2249B
Deuri, A. S.
—; Bhowmick, A. K.: Aging of EPDM Rubber, 2205B
Devon, M. J.
—; Rudin, A.: A Simple Technique for Measuring the Refractive Index of Polymer Latexes at Various Wavelengths, 469B
Dhalewadikar, S. V.
—; McHugh, M. A.; Guckes, T. L.: Extraction of Low-Molecular-Weight Oligomers from Polyethylene Film Using Near-Critical Difluorodichloromethane, 521A
Dhaoui, W. See Bellenger, V., 2647A
Dhar, V. K. See Varma, D. S., 1103A
Diaz-Calleja, R. See Ribes-Greus, A., 2819B
Dickens, B. See Martin, J. W., 377B
Dickson, J. M. See Chadda, S. K., 2713B
Di Filippo, G. V.
—; González, M. E.; Gasiba, M. T.; Müller, A. V.: Crystalline Memory on Polycarbonate, 1959B
Doane, W. M. See Fanta, G. F., 899A, 907A
Doelker, E. See Bindschaedler, C., 2631B
Doherty, M. F. See Steppan, D. D., 2333A, 2345B
Doi, Y. See Ueno, N., 1677B
Domenici, C.
—; Levita, G.; Marchetti, A.; Frosini, V.: Dielectric Behavior of a Rubber-Toughened Epoxy Resin, 2285B
Doss, N. L.
—; Habib, S.; Nosseir, M. H.: Synthesis, Crosslinking and Degradation of Some Unsaturated Polyester Resins, 1117B
Doyle, S. E.
—; Pethrick, R. A.: Structure of Fibrous Cellulose Acetate: X-ray Diffraction, Positron Annihilation and Electron Microscopy Investigations, 95A
Drabent, R. See Mieloszyk, J., 1577B
Drake, G. L., Jr. See Trask, B. J., 2317A
Drzal, L. T. See Schiering, D. W., 2367B
Dubini-Paglia, E. See Beltrame, P. L., 2965A
Ducháček, V. See Frenkel, R., 1301B
Duda, J. L. See Vrentas, J. S., 2581A
Dudek, L. P. See Lin, J. W-P., 657A
Duffy, J. V.
—; Hui, E.; Hartmann, B.: Reaction Kinetics for Hindered Amine/Epoxides by DSC, 2959A
Dušek, K. See Masiulanis, B., 1941B
Du Sorbier, B. M.
—; Kulkarni, S.; Vouros, P.; Kirby, D. P.: Mass Spectrometric Studies of Sulfonyl Esters of Diazonaphthalenones: Relationship Between Fragmentation Patterns and Photolithographic Mechanisms, 447B
Dweltz, N. E. See Rao, M. V. S., 835A
Dynes, P. J. See Tung, C. M., 505A

Ebringerová, A. See Šimkovic, I., 1473A, 1955A, 1779B
Edie, D. D. See Bell, W. P., 1073A, 1089A
Egawa, H. See Maeda, H., 1275A
—; Nakayama, M.; Nonaka, T.; Sugihara, E.: Recovery of Uranium from Sea Water. IV. Influence of Crosslinking Reagent on the Uranium Adsorption of Macroreticular Chelating Resin Containing Amidoxime Groups, 1993A
—; Nakayama, M.; Nonaka, T.; Yamamoto, H.; Uemura, K.: Recovery of Uranium from Seawater V. Preparation and Properties of the Macroreticular Chelating Resins Containing Amidoxime and Other Functional Groups, 1557B
—; See Nonaka, T., 1025B
—; Nonaka, T.: Erratum to "Studies of Selective Adsorption Resin. XXIV. Preparation and Properties of Macroreticular Chelating Resins Containing Both Polyethylenepolyamine Side Chains and Mercapto Groups," 243A, 441B
Egusa, S.
—; Sasaki, T.; Hagiwara, M.: Water-Dispersible Graft Copolymer Mixtures Prepared by Electron Irradiation. I. Polymerization Behavior, 2163B
—; Sasaki, T.; Hagiwara, M.: Water-Dispersible Graft Copolymer Mixtures Prepared by Electron Irradiation. II. Dispersion Behavior, 2177B
Eisenberg, A. See Rutkowska, M., 2833A
Ekdahl, J. See Otterstedt, O. E., 2575B
El-Abd, M. A. See Sedahmed, G. H., 47B
El-Saied, H. See Nada, A. M. A., 2915A
Eliçabe, G. E. See Frontini, G. L., 2165A
Elix, J. A. See Perera, M. C. S., 2731A
Elovainio, E. See Suuronen, M., 617B
Elsner, G.
Residual Stress and Thermal Expansion of Spun-On Polyimide Films, 815B
Embree, E. See Martin, J. W., 377B
Enikplopian, N. S. See Zhorin, V. A., 677B
Epstein, Y. V. See Zhorin, V. A., 677B
Erbil, H. Y.
Surface-Free Energy Analysis of Hydrolyzed Ethylene-Vinyl Acetate Copolymers, 1397A
Erckel, R. See Franz, R., 1291A
Esumi, K. See Kato, K., 2657A
Eusufzai, A. R. K. See Yang, C.-F., 1145B
Evangelista, R. A. See Stevenson, W. T. K., 65B

Fan, J. D. See Huang, Y. J., 1315A
Fan, X. See Wu, Z., 2877A
Fane, A. G. See Yao, C. W., 2399B
Fanta, G. F.
—; Burr, R. C.; Doane, W. M.: Graft Polymerization of Acrylonitrile onto Wheat Straw, 899A
—; Burr, R. C.; Doane, W. M.: Saponification of Wheat Straw-*g*-Polyacrylonitrile, 907A
Farber, J. N.
—; Farris, R. J.: Model for Prediction of the Elastic Response of Reinforced Materials over Wide Ranges of Concentration, 2093B
Farinato, R. See Besio, G. J., 825A
—; Yen, W. S.: Polymer Degradation in Porous Media Flow, 2353A
Farris, R. J. See Farber, J. N., 2093B
—; See Vratsanos, M. S., 915A
—; See Wickliffe, S. M., 931B
Feldman, J.
—; Shim, I. W.; Orchin, M.: Permselectivity of Cellulose Acetate Membranes; Separation of

H_2/CO Mixtures and the Effect of Added Transition Metals, 969B
Fell, C. J. D. See Yao, C. W., 2399B
Fellers, J. F. See Dale, J. M., 3055A
Figini, R. V. See Terán, C. C., 2433B
Filisko, F. E. See Rodriguez, E. L., 2151A
Fink, J. K. See Choudhary, M. S., 863B
Floyd, S.
A Theoretical Interpretation of Reactivity Ratio Products in Copolymers Formed from Two Fractions Differing in Composition, 2559B
—; Heiskanen, T.; Taylor, T. W.; Mann, G. E.; Ray, W. H.: Polymerization of Olefins Through Heterogeneous Catalysis. VI. Effect of Particle Heat and Mass Transfer on Polymerization Behavior and Polymer Properties, 1021A
Foster, J. N.
—; Sperling, L. H.; Thomas, D. A.: The Application of Bulk Polymerized Acrylic and Methacrylic Interpenetrating Polymer Networks to Noise and Vibration Damping, 2637A
Fouassier, J.-P.
—; Lougnot, D.-J.: Thioxanthone Derivatives as Photoinitiators in Micelle Photopolymerization, 477B
Franz, R.
—; Fritsche-Lang, W.; Deger, H.-M.; Erckel, R.; Schlingmann, M.: The Behavior and Derivatizations of Carbohydrates in Hydrogen Fluoride, 1291A
Frenkel, R.
—; Ducháček, V.; Kirillova, T.; Kuzmin, E.: Thermodynamic and Structural Properties of Acrylonitrile–Butadiene Rubber/Polyethylene Blends, 1301B
Friedrich, K. See Voss, H., 1745A, 177B
Fritsche-Lang, W. See Franz, R., 1291A
Frontini, G. L.
—; Eliçabe, G. E.; Meira, G. R.: Optimal Periodic Control of a Continuous "Living" Anionic Polymerization II. New Theoretical Results, 2165A
Frosini, V. See Domenici, C., 2285B
Fujii, M. See Yamaura, K., 989B
Fukada, E. See Maeda, H., 1187A
Fukami, A. See Kubota, S., 1763A
Furuta, M.
—; Hosoda, S.; Kojima, K.: Study of Deformation Mechanism for Linear Low-Density Polyethylene, 401A

Gagnon, R. See Bugada, D. C., 501B
Galembeck, F. See Winkler-Hechenleitner, A. A., 853B
Gallagher, K. See Bhowmick, A. K., 1125A
Gallo, B. See Blazquez, I., 2107A
Gaponik, P. N.
—; Ivashkevich, O. P.; Kovalyova, T. B.; Andreeva, T. N.: Copolymerization of 1-Vinyltetrazole with Vinyl Monomers, 769A
García, H. See Muñoz-Escalona, A., 977B
García-Rejón, A. See Manero, O., 2053A
Gardner, J. R. See McKay, G., 1249A
Gasiba, M. T. See Di Filippo, G. V., 1959B
Gaylord, N. G.
—; Mehta, M.; Mehta, R.: Degradation and Cross-linking of Ethylene-Propylene Copolymer Rubber on Reaction with Maleic Anhydride and/or Peroxides, 2549A
Gedde, U. W. See Hedmark, P. G., 743B
Geerissen, H.
—; Roos, J.; Schützeichel, P.; Wolf, B. A.: Continuous Fractionation and Solution Properties of PIB. I. Search for the Best Mixed Solvent and First Results of the Continuous Polymer Fractionation, 271B
—; Schützeichel, P.;Wolf, B. A.: Continuous Fractionation and Solution Properties of PIB. II. CPF Optimization, 287B
Gent, A. N.
—; Lewandowski, L. H.: Blow-Off Pressures for Adhering Layers, 1567A
George, G. A.
—; Schweinsberg, D. P.: Characterization of the Cure of TGDDM/DDS Epoxy Resins by Chemiluminescence I. Spectral and Thermal Analysis, 2281A
George, W. See Lim, J. G., 989A
Ghosh, R. See Konar, J., 431B
Ghosh, S. See Konar, J., 431B
Giddings, J. C. See Schimpf, M. E., 117A, 2269A
Gil, M. H. See Da Silva, M. A., 871B
Gilbert, J. R. See Bhateja, S. K., 2305A
Gillham, J. K. See Palmese, G. R., 1925B
Ginde, R. M.
—; Gupta, R. K.: In Vitro Chemical Degradation of Poly(Glycolic Acid) Pellets and Fibers, 2411A
Gloor, P. E. See Honig, J. A. J., 829B
Goh, S. H.
—; Lee, S. Y.; Siow, K. S.; Pua, C. L.: Miscibility of Poly(styrene-co-Acrylonitrile) and Poly(α-Methyl Styrene-co-Acrylonitrile) with Polymethacrylates Containing Sterically Hindered Amine Groups, 353A
—; Siow, K. S.: Miscible Blends Containing Poly(tetrahydrofurfuryl methacrylate), 1849A
González, M. E. See Di Filippo, G. V., 1959B
Goradia, U. B.
—; Spencer, H. G.: Sorption of Propane in Poly(ethyl Methacrylate) Near T_g, 1525A
Gotō, K. See Iida, T., 2355B
Gray, D. G. See Laivins, G. V., 137A
Greco, R.
—; Maglio, G.; Musto, P. V.: Bulk Functionalization of Ethylene-Propylene Copolymers I. Influence of Temperature and Processing on the Reaction Kinetics, 2513A
Gregory, E. G. See Mays, J. W., 2619B
Grimaldi, P. See Nicolais, L., 2077A
Guan, J. Y.
—; Saraf, R. F.; Porter, R. S.: Evaluation of Free and Hydrostatic Equibiaxial Deformation of Poly(ethylene Terephthalate) by Trirefringence Measurement, 1517A
Guckes, T. L. See Dhalewadikar, S. V., 521A
Gupta, A. See Cebe, P., 2273B
Gupta, B. R. See Thomas, S., 2053B
Gupta, B. S. See Lim, J. G., 989A
Gupta, J. P.
—; Sefton, M. V.: Glycerol Contact Angle Measurements on Exterior and Interior Surfaces of Polyethylene Rods: Difference between Surface and Bulk Morphology, 165A
Gupta, K. C.
—; Gupta, S. K.: Grafting of *N,N'*-Methylenebisacrylamide onto Silk Fibers using the Vanadylacetylacetonate Complex in Aqueous Medium, 2849A
Gupta, R. K.
—; Auyeung, K. F.: Crystallization in Polymer Melt Spinning, 2469B
—; See Ginde, R. M., 2411A
Gupta, S. K. See Gupta, K. C., 2849A
—; Tjahjadi, M.: Simulation of an Industrial Nylon 6 Tubular Reactor, 933A
Gupta, S. P. See Varma, I. K., 151A
Gupta, V. B. See Schiering, D. W., 2367B
Gurny, R. See Bindschaedler, C., 2631B
Guruprasad, T. R. See Kumar, V. G., 1803B
Guthrie, J. See Blair, H. S., 641A
Guthrie, J. T. See Da Silva, M. A., 871B

Habib, S. See Doss, N. L., 1117B
Hadas, A. See Siegmann, A., 2689A
Hagiwara, M. See Egusa, S., 2163B, 2177B
Hagler, G. E. See Abhiraman, A. S., 809A
Hailey, J. R. T. See Menon, R. S., 1141A
Hakim, I. K.
—; Aziz, A. W.; Abd-El-Nour, K. N.: Environmental Effects and Relaxation in Natural Rubber, 2439A
Hall, J. A.
—; Ceckler, W. H.; Thompson, E. V.: Thermal

Properties of Rigid Polymers. I. Measurement of Thermal Conductivity and Questions Concerning Contact Resistance, 2029A
Halley, R. J. See Mathias, L. J., 1157A
Hamielec, A. E. See Honig, J. A. J., 829B
—; See Xie, T. Y., 1749B
Han, C. D.
Correlation of the Solubility of Volatile Liquids in Molten Polymers, 2605A
—; See Hu, D. S., 551A, 423B
—; See Lee, D.-S., 419A, 1235B
—; Lee, D.-S.: Analysis of the Curing Behavior of Unsaturated Polyester Resins Using the Approach of Free Radical Polymerization, 2859A
—; Lee, D.-S.: Curing Behavior of Unsaturated Polyester Resin with Mixed Initiators, 793B
—; Yang, H.-H.: Rheological Behavior of Compatible Polymer Blends. I. Blends of Poly(styrene-*Co*-Acrylonitrile) and Poly(ε-Caprolactone), 1199A
—; Yang, H.-H.: Rheological Behavior of Blends of Poly(methyl Methacrylate) (PMMA) and Poly(acrylonitrile-*stat*-Styrene)-*graft*-Polybutadiene (ABS), 1221A
Hanna, A.
—; Hornof, V.: The Combined Effect of Stirring and Oxygen on the Graft Copolymerization of Methyl Methacrylate onto Cellulose, 1785A
Harrick, N. J. See DeBlase, F. J., 2047B
Harrison, I. R. See Laughner, M. P., 2955A
Harrison, Y. See Jutier, J.-J., 1359A
Hartmann, B. See Duffy, J. V., 2959A
Haruvy, Y.
—; Rajbenbach, L. A.; Jagur-Grodzinski, J.: Grafting of Acrylamide to Nylon-6 by the Electron Beam Preirradiation Technique. V. Permeability and Selectivity of the Grafted Membranes to Ionic Solutes and Metabolites, 389A
Hasegawa, M.
—; Arai, K.; Saito, S.; Selective Adsorption of Polymer on Freshly Ground Solid Surfaces in Soapless Emulsion Polymerization, 411A
Hashimoto, K. See Yamada, K., 1649A
Hasirci, N.
Silicone Polymerization by Glow Discharge Application, 1135B
Surface Modification of Charcoal by Glow-Discharge: The Effect on Blood Cells, 2457B
Hasirci, V. N.
—; Kamel, I. L.: Membrane Permeability of Some Model Compounds Through Macroporous Membranes, 925A
Hasuda, Y. See Ichino, T., 1667B
Hata, H. See Ito, M., 1843A
Hatakeyama, H. See Yoshida, H., 1187B
Hauffe, W. See Berger, W., 919B
Hayashi, K. See Ichimura, K., 2747B
Hayashi, S. See Hirai, T., 527B
Hayashi, T.
—; Ito, J.; Mitani, K.; Mizutani, Y.: Dynamic Mechanical Properties and Morphology of Styrene-Divinylbenzene Copolymer/Poly(vinyl Chloride) Systems. (II). Effect of Polymerization Temperature, 375A
Hébrard, M. J. See Cole, K. C., 395B
Hedmark, P. G.
—; Jansson, J.-F.; Hult, A.; Lindberg, H.; Gedde, U. W.: Selective Etching of Thermotropic Liquid Crystalline Polyesters, 743B
Heiskanen, T. See Floyd, S., 1021A
Henderson, J. M.
—; Wheatley, A. D.: Factors Effecting a Loss of Flocculation Activity of Polyacrylamide Solutions: Shear Degradation, Cation Complexation, and Solution Aging, 669A
Heng, F. L. See Mitsoulis, E., 1713B
Heo, G. See Lee, S. H., 2537B
Higuchi, M. See Morita, M., 1013B
Hinohara, S. See Kubota, H., 3045A, 12[illegible]
Hioka, N. See Neumann, M. G., 2829B
Hirai, M. See Sakata, J., 2701B
Hirai, T.
—; Okazaki, A.; Hayashi, S.: Characterization of Poly(vinyl Alcohol-co-vinyl Acetate) by the Iodine Complexation Method, 527B
Hirata, T.
—; Werner, K. E.: Thermal Analysis of Cellulose Treated with Boric Acid or Ammonium Phosphate in Varied Oxygen Atmospheres, 1533A
Hirose, T.
—; Mizoguchi, K.; Kamiya, Y.: Low Pressure CO_2 Sorption in Poly(vinyl Cyclohexane-carboxylate), 1657B
Hirotsu, T.
Water-Ethanol Separation by Pervaporation Through Plasma Graft Polymerized Membranes, 1159B
Hirsch, J. See Šimkovic, I., 1473A
Hoffman, A. S. See Cohn, D., 1A
Hong, S.-D. See Cebe, P., 487A
Honig, J. A. J.
—; Gloor, P. E.; MacGregor, J. F.; Hamielec, A. E.: A Mathematical Model for the Ziegler–Natta Polymerization of Butadiene, 829B
Hopfenberg, H. B. See Connelly, R. W., 703B
—; See Stewart, M. E., 721B, 2439B
Horie, K. See Nishiyama, N., 1619B
Hornof, V. See Hanna, A., 1785A
Horrocks, A. R.
—; Price, D.; Tunc, M.: Studies on the Temperature Dependence of Extinction Oxygen Index Values for Cellulosic Fabrics. I. Cotton, 1901B
Hosoda, S. See Furuta, M., 401A
Hou, A.-C. See Vrentas, J. S., 2581A
Hourston, D. J.
—; Satgurunathan, R.; Varma, H. C.: Latex Interpenetrating Polymer Networks Based on Acrylic Polymers. III. Synthesis Variations, 215A
—; Satgurunathan, R.; Varma, H. C.: Latex Interpenetrating Polymer Networks Based on Acrylic Polymers. IV. The Influence on Mechanical Properties of the Time of Swelling the Seed Particles with the Second Monomer, 901B
Howes, V. R.
—; Wall, P.: Relaxation and Recovery Measurements by the Microhardness Indentation Technique for Transparent Polymeric Materials, 1125B
Hoyle, C. E.
—; Kim, K.-J.: The Effect of Aromatic Amines on the Photopolymerization of 1,6-Hexanediol Diacrylate, 2985A
—; Kim, K.-J.; No, Y. G.; Nelson, G. L.: Photolysis of Segmented Polyurethanes. The Role of Hard-Segment Content and Hydrogen Bonding, 763B
Hrouz, J. See Masiulanis, B., 1941B
Hsieh, Y.-L.
—; Mo, Z.: Crystalline Structures of Poly(ethylene Terephthalate) Fibers, 1479A
Hsiue, G.-H.
—; Chou, Z. S.; Yu, N.; Hsiung, K. P.: Urease Immobilized Polyvinyl Alcohol-g-Butyl Acrylate Membrane for Urea Sensor, 319B
—; Yang, Y.-S.; Kuo, J.-F.: Permeation and Separation of Aqueous Alcohol Solutions through Grafted Poly(vinyl Alcohol) Latex Membranes, 2187B
Hsiung, K. P. See Hsiue, G. H., 319B
Hsu, J.
—; Choi, K. Y.: Kinetics of Transesterification of Dimethyl Terephthalate with Poly(tetramethylene Ether) Glycol and 1,4-Butanediol Catalyzed by Tetrabutyl Titanate, 329A
Hsu, T. J.
—; Lee, L. J.: Physical Properties of Transfer-Molded Polyurethane–Polyester Interpenetrating Polymeric Network, 793A
Hu, D. S.
—; Han, C. D.: Effect of Polymer Side Chains on the Infinite Dilution Diffusion Coefficients of

Volatile Liquids in Poly(methyl Methacrylate) and Poly(ethyl Methacrylate) at Elevated Temperatures, 423B
—; Han, C. D.; Stiel, L. I.: Gas Chromatographic Measurements of Infinite Dilution Diffusion Coefficients of Volatile Liquids in Amorphous Polymers at Elevated Temperatures, 551A
Huang, R. Y. M. See Phatak, A., 1835B
Huang, Y. J.
—; Fan, J. D.; Lee, L. J.: Casting of Diffusion-Controlled Free Radical Polymerization—Experimental and Theoretical Analysis, 1315A
Hudeček, S. See Mikešová, J., 507B
Hudson, J. S. See Krochta, J. M., 1413A
Hui, E. See Duffy, J. V., 2959A
Hulett, L. D. See Dale, J. M., 3055A
Hult, A. See Hedmark, P. G., 743B
Husk, G. R. See Kim, T. H., 1767B
Hutchinson, R. A.
—; Ray, W. H.: Polymerization of Olefins Through Heterogeneous Catalysis. VII. Particle Ignition and Extinction Phenomena, 657B

Iacopi, A. V.
—; White, J. R.: Residual Stress, Aging, and Fatigue Fracture in Injection-Molded Glassy Polymers. I. Polystyrene, 577A
—; White, J. R.: Residual Stress, Aging, and Fatigue Fracture in Injection-Molded Glassy Polymers. II. Polycarbonate, 607A
Ibrahem, A. A. See Nada, A. M. A., 2915A
Ichimura, K.
—; Kameyama, A.; Hayashi, K.: Photosensitive Resins Containing *p*-Dimethylaminobenzylidene Derivatives and Diphenyliodonium Salt as Photoinitiators, 2747B
Ichino, T.
—; Hasuda, Y.: New Epoxy-Imide Resins Cured with Bis(hydroxyphthalimide)s, 1667B
Idehen, K. I. See Okieimen, E. F., 737B
Ihara, H. See Kawahara, T., 1343A
—; See Shimasaki, K., 1093B
Ihara, Y.
Adsorption of Sodium Alkyl Sulfates on Ion Exchange Resins Derived from 4-Vinylpyridine, 3087A
Iida, T.
—; Kawato, J.; Maruyama, K.; Gotō, K.: Stabilization of Poly(vinyl Chloride). VIII. Synergisms between Epoxy Compounds and Metal Soaps, 2355B
Iijima, T. See Kuramoto, N., 785A
—; See McGregor, R., 2777B
Ikawa, K. See Momose, Y., 2715A
Ikeda, K. See Mizutani, Y., 847B
Ikeda, K.-I. See Yamaura, K., 989B
Ikemoto, I. T. See Toi, K., 2403A
Iko, K. See Nakamura, Y., 885A
Ilavský, M. See Masiulanis, B., 1941B
Im, S. S. See Kang, E. Y., 317A
Imachi, M.
Hot-Melt Adhesion and Wettability between Polyethylene and Other Polymers in the Vicinity of the Adherend Melting Point, 2485B
Imai, Y. See Ogata, S.-I., 775A
Inagaki, N.
—; Yasukawa, Y.: Wettable Films Plasma-Polymerized From Nitroethane, 1641A
Inata, H.
—; Matsumura, S.: Chain Extenders for Polyesters. IV. Properties of the Polyesters Chain-Extended by 2,2′-Bis(2-oxazoline), 3069A
—; Matsumura, S.: Chain Extenders for Polyesters. V. Reactivities of Hydroxyl-Addition-Type Chain Extender; 2,2′-Bis(4H-3,1-Benzoxazin-4-one), 2609B
—; Matsumura, S.: Chain Extenders for Polyesters. VI. Properties of the Polyesters Chain-Extended by 2,2′-Bis (4H-3,1-Benzoxazin-4-one), 2769B
Inoue, T. See Nate, K., 2445B
Ionov, V. N.
—; Kashin, V. V.; Perminova, V. N.; Rusanov, S. Ya.; Sysoev, V. K.: Thermophysical Analysis of Thermal Polymerization of Silica-Organic Cladding for Silica Fibers, 1949A
Irabien, A. See Blazquez, I., 2107A
Ishihara, K.
—; Matsui, K.: Pervaporation of Ethanol-Water Mixture through Composite Membranes Composed of Styrene-Fluoroalkyl Acrylate Graft Copolymers and Cross-linked Polydimethylsiloxane Membrane, 437B
Ishikawa, M. See Nate, K., 2445B
Ishizu, A. See Isogai, A., 1283A
—; See Kondo, T., 55B
Isogai, A. See Kondo, T., 55B
—; Ishizu, A.; Nakano, J.: Dissolution Mechanism of Cellulose in SO_2–Amine–Dimethylsulfoxide, 1283A
Ito, J. See Hayashi, T., 375A
Ito, M.
—; Hata, H.; Kamagata, K.: Thermal Properties of Epoxy Resin Cured with Imidazole, 1843A
Ito, T. See Toi, K., 2403A
Ivanov, V. V. See Zhorin, V. A., 677B
Ivanova, M. See Mateva, R., 2885A
Ivashkevich, O. P. See Gaponik, P. N., 769A
Iwamoto, K. See Lerma, M. S., 625A
Iyer, K. R. K. See Iyer, P. B., 1081B
Iyer, P. B.
—; Sreenivasan, S.; Patel, G. S.; Iyer, K. R. K.; Patil, N. B.: A Comparative Study of the Response of Cottons to Zinc Chloride and Sodium Hydroxide, 1081B
Izutsu, M. See Toi, K., 2403A

Jabarin, S. A.
Crystallization Kinetics of Polyethylene Terephthalate. I. Isothermal Crystallization from the Melt, 85B
Crystallization Kinetics of Polyethylene Terephthalate. II. Dynamic Crystallization of PET, 97B
Crystallization Kinetics of Poly(ethylene Terephthalate). III. Effect of Moisture on the Crystallization Behavior of PET from the Glassy State, 103B
Jagur-Grodzinski, J. See Haruvy, Y., 389A
Jain, R. K.
—; Lal, K.; Bhatnagar, H. L.: Thermal, Morphological and Spectroscopic Studies on Cellulose Modified with Phosphorus, Nitrogen, Sulphur and Halogens, 247A
Jansson, J.-F. See Hedmark, P. G., 743B
Jewell, M. C. See Meister, J. J., 1887A
Jha, N. K. See Bajaj, P., 1785B
Jíšová, V.
Curing Mechanism of Epoxides by Imidazoles, 2547B
Jog, A. G. See Lokhande, H. T., 2753A, 2761A
—; See Rao, M. H., 2743A
Johncock, P. See Barrie, J. A., 2253A
Johnson, A. See Awodi, Y. W., 2503A
Johnson, J. F. See Stransky, P. D., 2259B
Joseph, K. T. See Vasantha, R., 2271A
Jungwirt, A. See Mrázek, Z., 2681B
Jutier, J.-J.
—; Harrison, Y.; Premont, S.; Prud'homme, R. E.: A Nonisothermal Fourier Transform Infrared Degradation Study of Nitrocelluloses Derived from Wood and Cotton, 1359A

Kagiyama, Y. See Ohmura, N., 1173B
Kakimoto, M.-A. See Ogata, S.-I., 775A
Kalfoglou, N. K.
Erratum to "Effect of Fillers on the Compatibility of Polymer Blends," 443B
Kaliaguine, S. See Ahmed, A., 359B
Kalliyanakrishnan, V. See Saxena, A., 1727B
Kamagata, K.
Adhesive Properties of Cured Epoxide Resin Containing the Intermolecular Compound of

2,4-Diamino-6-Vinyl-*s*-Triazine and Isocyanuric Acid, 261B
—; See Ito, M., 1843A
Kamal, M. M.
—; Tawfik, S. Y.; Nosseir, M. H.: Polyester Mortar, 1609A
Kambe, H. See Ohmiya, Y., 1601A
Kamei, S.
—; Okubo, M.; Matsumoto, T.: Adsorption of Trypsin onto Poly(2-Hydroxyethyl Methacrylate)/Polystyrene Composite Microspheres and Its Enzymatic Activity, 1439B
Kamel, I. L. See Hasirci, V. N., 925A
Kameyama, A. See Ichimura, K., 2747B
Kamiya, Y. See Hirose, T., 1657B
Kampouris, E. M.
—; Andreopoulos, A. G.: Benzoyl Peroxide as a Crosslinking Agent for Polyethylene, 1209B
—; Papaspyrides, C. D.: The Influence of Fiber Pretreatment on the Mechanical Properties of Nylon 6,6-Asbestos Composites. II. Interfacial Coating of Asbestos Fibers with a Thin Film of Nylon 6,6, 205A
Kanaida, K. See Okubo, M., 1511A
Kang, E. Y.
—; Chung, E. J.; Im, S. S.: Preparation of Conductive Nylon 6 Film, 317A
Karandikar, A. V. See Padhye, M. R., 1675A
Karasawa, M. See Suto, S., 3019A
Karasz, F. E. See Berger, W., 919B
Karayannis, N. M.
—; Lee, S. S.; Mangan, D. J.: Modification of Ziegler-Type Propylene Polymerization Catalysts with Orthosilicate Alkylesters, 1329B
Karino, I. See Kodama, M., 361A, 1889B
Kasatani, H. See Nakamura, S., 227A
Kashin, V. V. See Ionov, V. N., 1949A
Katime, I. A.
—; Ochoa, J. R.; Sieiro Del Nido, C.: Synthesis and Characterization of Poly(vinyl Carbazole) Complexes with Copper(II) Chloride in THF Solution, 1953B
Kato, K.
—; Kondo, H.; Yokota, K.; Esumi, K.; Meguro, K.: Synthesis and Characterization of Polystyrene Latex with an Amphoteric Emulsifier, 2657A
Katoh, H. See Yamaura, K., 2347B
Katon, J. E. See Schiering, D. W., 2367B
Kawahara, T.
—; Ihara, H.; Mizutani, Y.: Anion Exchange Membranes Prepared from Chloromethylstyrene and 2-Methyl-5-vinylpyridine, 1343A
Kawato, J. See Iida, T., 2355B
Keenan, M. R.
Autocatalytic Cure Kinetics from DSC Measurements: Zero Initial Cure Rate, 1725A
Kennedy, J. P.
—; Lackey, J.: Synthesis, Characterization, and Properties of Novel Polyisobutylene-Based Urethane Model Networks, 2449A
Keskkula, H.
—; Paul, D. R.; Young, P.; Stein, R. S.: Diffusion of Miscible Polymers in Multilayer Films, 1861B
Khandelwal, P. K. See Kumar, A., 1835A
Khomami, B.
—; McHugh, A. J.: Elongational Flow in a Two-Dimensional Channel Geometry, 1495A
Kim, K. H. See Lee, S. H., 2537B
Kim, K.-J. See Hoyle, C. E., 2985A, 763B
Kim, T. H.
—; Koros, W. J.; Husk, G. R.; O'Brien, K. C.: "Reverse Permselectivity" of N_2 over CH_4 in Aromatic Polyimides, 1767B
Kim, W. N.
—; Burns, C. M.: Thermal Behavior, Morphology, and the Determination of the Flory–Huggins Interaction Parameter of Polycarbonate–Polystyrene Blends, 945B
Kimura, S. See Suto, S., 3019A
Kinoshita, T. See Kohzaki, M., 2393A
—; See Tsujita, Y., 1307A
Kirby, D. P. See Du Sorbier, B. M., 447B
Kirillova, T. See Frenkel, R., 1301B
Kishimoto, Y.
Superposition of Electrical Properties in Temperature-Sensing Wire Composed of Thermosensitive Polyamide–Phenol Compounds at Various Temperatures and Humidities, 479A
Kobayashi, J. See Kodama, M., 361A
Kodama, M.
—; Karino, I.; Kobayashi, J.: Interaction between the Reinforcement and Matrix in Carbon-Fiber-Reinforced Composite: Effect of Forming the Thin Layer of Polyimide Resin on Carbon Fiber by *In Situ* Polymerization, 361A
—; Kuramoto, K.; Karino, I.: ESCA and FT-IR Studies on Boundary-Phase Structure Between Blend Polymers and Polyamide Substrate, 1889B
Kohzaki, M.
—; Tsujita, Y.; Takizawa, A.; Kinoshita, T.: The Crystallization and Formation of Cluster of Ethylene Ionomer during Physical Aging, 2393A
Kojima, K. See Furuta, M., 401A
Kokta, B. V.
—; Daneault, C.: The Xanthate Method of Grafting. X. Grafting of Acrylamide onto Very-High-Yield Chemithermomechanical Birch and Aspen Pulps, 2517B
Kokufuta, E.
—; Saito, K.: Divinylbenzene-crosslinked Terpolymer Consisting of Hemin, Styrene, and 2-Methyl-5-vinylpyridine as Cyanide Ion Exchanger. Preparation of the Polymer in the Form of Beads by Suspension Polymerization, 517B
Kolinský, M. See Mrázek, Z., 2681B
Komiyama, J. See Kuramoto. N., 785A
Konar, J.
—; Ghosh, S.; Banthia, A. K.; Ghosh, R.: Oxidation of Low Density Polyethylene (LDPE) By Purple Hydrocarbon, 431B
Konar, R. S. See Adhikari, M. S., 109B
Kondo, H. See Kato, K., 2657A
Kondo, T.
—; Isogai, A.; Ishizu, A.; Nakano, J.: Preparation of Completely Allylated and Methallylated Celluloses from Methylcellulose and Cellulose Acetate, 55B
Königstein, J. See Šimkovic, I., 1473A
Koros, W. J. See Connelly, R. W., 703B
—; See Kim, T. H., 1767B
—; See Stewart, M. E., 721B, 2493B
Korte, F. See Mair, P., 1345B
Košik, S. See Šimkovic, I., 1057B
Kotsev, G. See Natov, M., 1943A
Kovalyova, T. B. See Gaponik, P. N., 769A
Koyama, Y. See Kurita, K., 239A
Kozakiewicz, J. J.
—; Maginess, J. E.: Characterization and Free Radical Polymerization of Liquid Crystalline Acrylic Acid/Cellulose Diacetate and *N*-Vinyl-2-Pyrrolidinone/Cellulose Diacetate Solutions, 1109B
Krässig, H. A. See Choudhary, M. S., 863B
Kratochvil, P. See Procházka, O., 2325B
Kraxenberger, M.
—; Pfister, G.; Bahadir, M.: Release Routes of Incorporated Desmetryn from EVA-Films. An Example for the Behavior of Low Volatility Additives in Polymers Under Outdoor Conditions, 2069B
Kringstad, K. P. See Yoshida, H., 1187B
Krochta, J. M.
—; Tillin, S. J.; Hudson, J. S.: Degradation of Polysaccharides in Alkaline Solution to Organic Acids: Product Characterization and Identification, 1413A
Krohn, K. See Meister, J. J., 1887A
Krukonis, V. J. See Scholsky, K. M., 2925A
Kubota, H.
—; Ogiwara, Y.; Hinohara, S.: Effect of Water on Vapor Phase Photografting on Cellulose and Its Derivatives, 1277B
—; Ogiwara, Y.; Hinohara, S.: Factors Affecting Vapor Phase Photografting of Vinyl Monomers on Cellulose, 3045A

Kubota, S.
—; Moriwaki, T.; Ando, T.; Fukami, A.: Preparation of Positive Photoreactive Polyimides and Their Characterization, 1763A
Kukreja, L. M.
Irreversible Softening in a Thermoset Polymer–Allyl Diglycol Carbonate® due to Laser Treatment, 985A
Kulkarni, B. D. See Balaraman, K. S., 241A
Kulkarni, K. S. See Agrawal, J. P., 2263A
Kulkarni, S. See Du Sorbier, B. M., 447B
Kulkarni, S. G. See Mukherjee, A. K., 913B
Kumar, A.
Algorithm for Computation of Molecular Weight Distribution and Its Moments in Reversible Step-Growth Polymerization in Batch Reactors, 571B
Polymerization of Melamine and Formaldehyde in Homogeneous Continuous-Flow Stirred-Tank Reactors Using Functional Group Approach: Part A: Conversion of Functional Groups, 1367B
Polymerization of Melamine and Formaldehyde in Homogeneous Continuous-Flow Stirred-Tank Reactors Using Functional Group Approach: Part B: Molecular Weight Distribution, 1383B
—; Khandelwal, P. K.: Computational Scheme for the Step Growth Polymerization of Multifunctional Monomers in Presence of Intramolecular Reactions, 1835A
Kumar, R. See Dave, J., 455A
Kumar, S.
—; Mead, W. T.; Stein, R. S.: Dynamic Birefringence and Dynamic Mechanical Studies on Acrylonitrile Copolymers, 1703B
—; Stein, R. S.: A Fourier Analysis Dynamic Birefringence Apparatus, 1693B
Kumar, V. G.
—; Rao, M. R.; Guruprasad, T. R.; Rao, K. V. C.: Correlation of Mechanical Property, Crosslink Density and Thermogravimetric Behavior of Castor Oil Polyurethane–Polystyrene divinyl benzene Simultaneous IPN Networks, 1803B
Kumazawa, H. See Sada, E., 305A, 3037A
Kuo, J.-F. See Hsiue, G.-H., 2187B
Kuramoto, K. See Kodama, M., 1889B
Kuramoto, N.
—; Sakamoto, M.; Komiyama, J.; Iijima, T.: Competitive Interaction of Polyanions and Anionic Dye with Bovine Serum Albumin, 785A
Kurita, K.
—; Koyama, Y.; Taniguchi, A.: Erratum to "Studies on Chitin X. Homogenous Cross-linking of Chitosan for Enhanced Cupric Ion Adsorption," 239A
Kuroda, K. See Ohmiya, Y., 1601A
Kuzmin, E. See Frenkel, R., 1301B

Lablache-Combier, A. See Lemaitre, E., 2189A
Lackey, J. See Kennedy, J. P., 2449A
Lahalih, S. M. See Absi-Halabi, M., 2975A
—; Absi-Halabi, M.: Water-Soluble Sulfonated Amino-Formaldehyde Resins. III. Effect of Reaction Conditions on Stability, 3005A
—; Absi-Halabi, M.; Shuhaibar, K. F.: Water-Soluble Sulfonated Amino-Formaldehyde Resins. II. Characteristics As Dispersing Agents, 2997A
Lai, J. Y. See Shyu, S. S., 2151B
—; Wu, G. J.; Shyu, S. S.: TPX/Siloxane Blend Membrane for Oxygen Enrichment, 559B
Laine, J. See Suuronen, M., 617B
Laivins, G. V.
—; Gray, D. G.: Birefringence of a Polymeric Cholesteric Liquid Crystal Measured by Refractometry, 137A
Lal, K. See Jain, R. K., 247A
Langhorst, M. A. See Sugarman, J. H., 693A
Lapa, E. See Da Silva, M. A., 871B
Lattimer, R. P. See Richards, J. M., 1967B
Laughner, M. P.
—; Harrison, I. R.: Increasing the "Natural" Draw Ratio by Hot Nip Drawing, 2955A
Lauver, R. W. See Roberts, G. D., 2893A
Law, T.-K. See Blair, H., 641A
Leaver, I. H.
The Mechanism of Photoprotection of Wool by UV Absorbers of the 2-Hydroxybenzophenone Class, 2795A
—; See Carr, C. M., 2087A
Leavesley, I. M. See Besio, G. J., 825A
Le Bourvellec, G. See Morrison, F., 1585A
Lederer, K. See Choudhary, M. S., 863B
Lee, D.-S.
—; Han, C. D.: Effect of Particulates and Fiber Reinforcements on the Curing Behavior of Unsaturated Polyester Resin, 419A
—; Han, C. D.: The Effect of Resin Chemistry on the Curing Behavior and Chemorheology of Unsaturated Polyester Resins, 1235B
—; See Han, C. D., 2859A, 793B
Lee, L. J. See Hsu, T. J., 793A
—; See Huang, Y. J., 1315A
—; See Wang, K. J., 431A
Lee, M. C. H.
Effects of Polymer-Filler Adhesion on the Properties of Polychloroprene Elastomers Filled with Surface-Treated Fillers, 2479A
Lee, S. H.
—; Heo, G.; Kim, K. H.; Choi, J. S.: The Electrical Properties of Magnetite-Loaded Polyethylene Composites, 2537B
Lee, S. S. See Karayannis, N. M., 1329B
Lee, S. Y. See Goh, S. H., 353A
Lee, T.-M. See Yang, C.-P., 2733B
Lee, W.-F. See Liaw, D.-J., 999B
Lee, Y.-D.
—; Chen, C.-M.: Properties of PVC/CPE/EPDM Polyblends, 1231A
—; Wang, S.-K.; Chin, W.-K.: Erratum to "Liquid-Rubber-Modified Epoxy Adhesives Cured with Dicyandiamide. I. Preparation and Characterization," 2265A
—; Wang, S.-K.; Chin, W.-K.: Erratum to "Liquid-Rubber-Modified Epoxy Adhesives Cured with Dicyandiamide. II.—Morphology and Adhesion Strengths," 2267A
Lemaitre, E.
—; Coqueret, X.; Mercier, R.; Lablache-Combier, A.; Loucheux, C.: Photochemistry of Polymeric Systems VII. Photo-cross-linking of Liquid Polysiloxanes Including Cinnamic Groups, 2189A
Lenka, S. See Das, A. P., 2139B
—; Nayak, P. L; Mohanty, I. B.: Photo-Induced Graft Copolymerization: XVI: Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using Isoquinoline-Sulfur Dioxide and α-Picoline-Sulphur Dioxide Charge-transfer Complexes as Photoinitiators, 21A
—; See Samal, S., 1853A
Lerma, M. S.
—; Iwamoto, K.; Senō, M.: Structures and Gas Permeabilities of Poly(vinyl Chloride)/Oligo(dimethylsiloxane) Blend Membranes, 625A
Leroux, J. See Cole, K. C., 395B
Lestingi, A. See Danusso, F., 2137A
Levita, G. See Domenici, C., 2285B
Lewandowski, L. H. See Gent, A. N., 1567A
Li, S. See Zhang, H. 1353B
Liaw, D.-J.
—; Lee, W.-F.; Whung, Y.-C.; Lin, M.-C.: Aqueous Solution Properties of Poly[3-Dimethyl (Methacryloyloxyethyl) Ammonium Propane Sulfonate], 999B
Lim, J. G.
—; George, W.; Gupta, B. S.: Studies of the Development of Fibrillar Structure in Nylon 6, 989A
Lin, J. W-P.
—; Dudek, L. P.; Majumdar, D.: Wetting Properties of Homopolymers and Copolymers of Pentafluorostyrene and Methylacrylate and Homopolymer Blends, 657A
Lin, M.-C. See Liaw, D.-J., 999B

Lin, Y. G.
—; Sautereau, H.; Pascault, J. P.: Processing Property Relationship for Dicyandiamide-Cured Epoxy Networks, 685A
Lindberg, H. See Hedmark, P. G., 743B
Lingg, M. P. See Yang, H. H., 1399B
Liu, H. J. See Chen, K. M., 1879B
Lo, M.-S. See Chiang, W.-Y., 1997B
Lokhande, H. T.
—; Jog, A. G.; Teli, M. D.; Rao, M. H.;, Rao, K. N.: Grafting of Polypropylene Fibers. II. Electrokinetic Properties of Grafted Polypropylene Fibers, 2753A
—; Jog, A. G.; Teli, M. D.; Rao, K. N.; Rao, M. H.: Grafting of Polypropylene Fibers. III. Electrical Conductivity of Grafted Fibers Polypropylene Grafted with Various Vinyl Monomers, 2761A
—; See Rao, M. H., 2707A, 2743A
Loucheux, C. See Lemaitre, E., 2189A
Lougnot, D.-J. See Fouassier, J.-P., 477B
Lowry, L. See Cebe, P., 2273B
Lu, F.-M.
—; Spruiell, J. E.: The Influence of Resin Characteristics on the High Speed Melt Spinning of Isotactic Polypropylene. I. Effect of Molecular Weight and Its Distribution on Structure and Mechanical Properties of As-Spun Filaments, 1521B
—; Spruiell, J. E.: The Influence of Resin Characteristics on the High Speed Melt Spinning of Isotactic Polypropylene. II. On-Line Studies of Diameter, Birefringence, and Temperature Profiles, 1541B
Lucht, L. M.
—; Peppas, N. A.: Macromolecular Structure of Coals. IV. Equilibrium Swelling Studies of Coal Networks Subjected to Various Treatments, 2777A
—; Peppas, N. A.: Transport of Penetrants in the Macromolecular Structure of Coals. V. Anomalous Transport in Pretreated Coal Particles, 1557A
Ludwig, U. See Berger, W., 919B
Luo, D. Z.
The Relation Between the Two Ways to Deduce the Relaxation and Retardation Spectra, 203B
Luo, H. See Zhang, H., 1353B
Lustig, S. R.
—; Peppas, N. A.: Solute and Penetrant Diffusion in Swellable Polymers. VII. A Free Volume-Based Model with Mechanical Relaxation, 533A

Macchi, E. M. See Terán, C. C., 2433B
MacGregor, J. F. See Honig, J. A. J., 829B
Machida, R. See Miyauchi, N., 2601B
MacKay, A. L. See Menon, R. S., 1141A
Macosko, C. W. See Pannone, M. C., 2409B
Madhavan, K. P. See Balaraman, K. S., 241A
Maeda, H.
—; Egawa, H.: Studies of Selective Adsorption Resins. XXV. Preparation of Macroreticular Chelating Resins Containing Aminomethylphosphonic Acid Groups from Methyl Methacrylate/Divinylbenzene Copolymer Beads and Their Adsorption Capacity, 1275A
—; Fukada, E.: Effect of Bound Water on Piezoelectric, Dielectric, and Elastic Properties of Wood, 1187A
—; See Nonaka, T., 1025B
—; See Ogata, S.-I., 775A
Maeda, Y. See Chiou, J. S., 1823A
Maffi, S. See Montoneri, E., 2079B
Magill, J. H.
—; Sun, D. C.; Shankernarayanan, M. J.: Property Correlations for Doubly Oriented Polymers Prepared by the Rolltrusion Technique, 2337B
—; See Voss, H., 1745A
—; See Voss, H., 177B
Maginess, J. E. See Kozakiewicz, J. J., 1109B
Maglio, G. See Greco, R., 2513A
Mahalingam, R. See Teng, F. S., 2837B
Mahmoud, A. A. See Shaaban, A. F., 1735A
Mair, P.
—; Bahadir, M.; Korte, F.: Cellulose Bound Chlorophenols II: Preparation and Characterization of Phenyloxycarbonylpentanoyl Celluloses Dependence of Substitution on Chlorophenol Structure, 1345B
Maiti, M. M. See Bhattacharya, V. K., 1645B
Maiti, S. See Bhattacharya, V. K., 1645B
Majumdar, D. See Lin, J. W-P., 657A
Malhotra, J. P.
—; Deshmukh, S. R.; Singh, R. P.: Turbulent Drag Reduction by Polymer-Fiber Mixtures, 2467A
Malone, M. F. See Steppan, D. D., 2333A, 2345B
—; See Wickliffe, S. M., 931B
Manero, O.
—; Rangel-Nafaile, C.; García-Rejón, A.: Analysis of the Flow Behavior of HDPE/LDPE Blends Using a Kinetic Network Model, 2053A
Mangan, D. J. See Karayannis, N. M., 1329B
Mann, G. E. See Floyd, S., 1021A
Marcandalli, B. See Beltrame, P. L., 2965A
Marchetti, A. See Domenici, C., 2285B
Margavio, M. F. See Trask, B. J., 2317A
Mark, J. E. See Sohoni, G. B., 2853B
Mark, R. E. See Yang, C.-F., 1145B
Marogi, A. See Al-Malaika, S., 1455A
Martin, J. W.
—; Dickens, B.; Waksman, D.; Bentz, D. P.; Byrd, W. E.; Embree, E.; Roberts, W. E.: Thermal Degradation of Poly(Methyl Methacrylate) at 50°C to 125°C, 377B
Maruyama, K. See Iida, T., 2355B
Marvel, C. S. See Ogawa, T., 1579A
Marx-Figini, M.
The Acid-Catalyzed Degradation of Cellulose Linters in Distinct Ranges of Degree of Polymerization, 2097A
Mashelkar, R. A. See Balaraman, K. S., 241A
Masiulanis, B.
—; Hrouz, J.; Baldrian, J; Ilavský, M.; Dušek, K.: Dynamic Mechanical Behavior and Structure of Polyurethaneimides, 1941B
Masson, P.
—; Spitz, R.: Anomalies in the Rheological Behavior of Polyethylene with Very Broad Molecular Weight Distribution, 1335B
Masuko, T. See Suzuki, F., 2197B
Mateva, R.
—; Sirashki, G.; Ivanova, M.: Study on the Kinetics of Thermodestruction of Copolymers of Trioxane with Phenylglycidylether, 2885A
Mathias, L. J.
—; Vaidya, R. A.; Halley, R. J.: Amide Derivatives of Poly(3,4-Dimethylenepyrrolidine): Synthesis, Characterization, and Complexation Studies, 1157A
Matsui, K. See Ishihara, K., 437B
Matsumoto, T. See Kamei, S., 1439B
—; See Nakamura, Y., 885A
—; See Okuba, M., 1511A
—; See Shiratsuchi, K., 1217B
Matsumura, S. See Inata, H., 3069A, 2609B, 2769B
Matsuzaki, K. See Nakamura, S., 227A
Matsuzawa, S. See Yamaura, K., 1983A, 989B, 2347B
Maurya, P. L. See Bajaj, P., 1785B
Mays, J. W.
—; Gregory, E. G.: Molecular Weights of Polyethylene and Polypropylene by Vapor Pressure Osmometry at Elevated Temperatures, 2619B
McCarry, B. E. See Chadda, S. K., 2713B
McCarthy, K. J.
—; Burkhardt, C. W.; Parazak, D. P.: Dilute Solution Behavior and Mark–Houwink Constants for a Non-linear Cationic Polyelectrolyte, 1311B
—; Burkhardt, C. W.; Parazak, D. P.: Expansion Coefficients and Conformational Properties of Heterodisperse Poly(acrylamide-co-sodium acrylate), 1683A
—; Burkhardt, C. W.; Parazak, D. P.:

Mark–Houwink–Sakurada Constants and Dilute Solution Behavior of Heterodisperse Poly(acrylamide-co-sodium acrylate) in 0.5*M* and 1*M* NaCl, 1699A
McClennen, W. H. See Richards, J. M., 1967B
McCoy, N. R. See Connelly, R. W., 703B
—; See Stewart, M. E., 721B, 2493B
McDonogh, R. M. See Yao, C. W., 2399B
McGregor, R.
—; Tamura, K.; Iijima, T.: The Graphical Evaluation of Ionic Dye Sorption Isotherms Using Dimensionless Groups, 2777B
McHugh, A. J. See Khomami, B., 1495A
McHugh, M. A. See Dhalewadikar, S. V., 521A
McIntyre, D. See Bhowmick, A. K., 1125A
McKay, G.
—; Blair, H. S.; Gardner, J. R.: Two Resistance Mass Transport Model for the Adsorption of Acid Dye onto Chitin in Fixed Beds, 1249A
Mead, W. T. See Kumar, S., 1703B
Meguro, K. See Kato, K., 2657A
Mehta, I. K. See Misra, B. N., 167B
Mehta, M. See Gaylord, N. G., 2549A
Mehta, R. See Gaylord, N. G., 2549A
Meira, G. R. See Frontini, G. L., 2165A
Meister, J. J.
—; Patil, D. R.; Jewell, M. C.; Krohn, K.: Synthesis, Characterization, and Properties in Aqueous Solution of Poly(starch-g-[1-Amido-ethylene)-co-(Sodium 1-(2-Methylprop-2*N-yl*-1-Sulfonate) Amidoethylene)]), 1887A
—; Sha, M. L.: Synthesis, Characterization, Properties, and Derivatives of Poly(starch-g-(1-Amidoethylene)). I. Synthesis and Characterization, 1859A
—; Sha, M. L.; Richards, E. G.: Synthesis, Characterization, Properties, and Derivatives of Poly(starch-g-(1-Amidoethylene)). II. Measurement of Molecular Weights by Ultracentrifugation, 1873A
Melissaris, A. P.
—; Mikroyannidis, J. A.: Synthesis, Characterization, and Polymerization of Bismaleimides and Bisnadimides Chain-Extended by *N,N'*-Substituted Ureas, 2657B
Mendenhall, G. D.
—; Agarwal, H. K.: Slow Luminescence Emission from Polymers with a Hyperbolic Decay Law. A Survey of Commercial Materials with an Apparatus of Wide Aperture, 1259A
Menon, R. S.
—; MacKay, A. L.; Hailey, J. R. T.; Bloom, M.; Burgess, A. E.; Swanson, J. S.: An NMR Determination of the Physiological Water Distribution in Wood during Drying, 1141A
Mercier, R. See Lemaitre, E., 2189A
Messiha, N. N. See Shaaban, A. F., 1735A, 2203A
Meuzelaar, H. L. C. See Richards, J. M., 1967B
Meyers, R. R. See Chuu, M. S., 1447B
Michailov, P. See Peev, G., 283A
Micko, M. M. See Simkovic, I., 1955A, 1779B
Mieloszyk, J.
—; Drabent, R.; Siódmiak, J.: Phosphorescence and Fluorescence of Poly(vinyl Alcohol) Films, 1577B
Mikešová, J.
—; Hudeček, S.; Čefelín, P.: Effect of Surface Treatment of a Polymeric Filler on its Interaction with a Plasticizer, 507B
Mikroyannidis, J. A. See Mellissaris, A. P., 2657B
Miles, I. S.
The Reduction of Orientation in Fibers Spun from Two-Phase Polymer Blends via the Introduction of Shear into Elongational Flow by the Presence of a Second Phase, 2793B
Milosevic, M. See DeBlase, F. J., 2047B
Mishra, S. P.
—; Deopura, B. L.: Fibers from Poly(ethylene Terephthalate) and Poly(butylene Terephthalate) Blends I. Mechanical Behavior, 759A
Misra, A. See Sharma, S. K., 2231B
Misra, A. C. See Bajaj, P., 1785B
Misra, B. M. See Thomas, K. C., 2527B
Misra, B. N.
—; Mehta, I. K.; Sood, D. S.: Characterization of Wool Graft Copolymers, 167B
Misra, M.
—; Mohanty, A. K.; Singh, B. C.: A Study on Grafting of Methyl Methacrylate onto Jute Fiber ($S_2O_8^{2-}$-Thiourea Redox System), 2809A
Mitani, K. See Hayashi, T., 375A
Mitsoulis, E.
—; Heng, F. L.: Numerical Simulation of Coextrusion from a Circular Die, 1713B
Mittal, R. K.
—; Rashmi, V.: The Effect of Thermal History on the Distribution of Residual Stresses in PMMA Rods, 627B
Miyauchi, N.
—; Takeshita, T.; Akashi, M.; Machida, R.: Convenient Determination of Methoxy Groups of Methylated Melamine-Formaldehyde Resins by IR Spectroscopy, 2601B
Mizoguchi, K. See Hirose, T., 1657B
Mizuno, H. See Takahashi, T., 2757B
Mizushima, A. See Toi, K., 2403A
Mizutani, S. See Sada, E., 305A
Mizutani, Y.
—; Ikeda, K.: Role of Reinforcing Material in Ion Exchange Membranes Prepared by the Paste Method, 847B
—; See Hayashi, T., 375A
—; See Kawahara, T., 1343A
—; See Ohmura, N., 1173B
—; See Shimasaki, K., 1093B
Mlynár, J. See Simkovic, I., 2651A
Mo, Z. See Hsieh, Y.-L., 1479A
Modica, G. See Montoneri, E., 2079B
Moet, A. See Napolitano, M. J., 1285B
Mohanty, A. K. See Misra, M., 2809A
—; Singh, B. C.: Redox-Initiated Graft Copolymerization onto Modified Jute Fibers, 1325B
Mohanty, I. B. See Lenka, S., 21A
Momose, Y.
—; Ikawa, K.; Sato, T.; Okazaki, S.: XPS and ESR Studies of the Photodegradation of Polyamidoimide and Polyimide in O_2, $O_2 + N_2$, Air, N_2, and Vacuum Atmospheres, 2715A
Mones, E. T. See Morgan, R. J., 999A
Montoneri, E.
—; Orlandoni, A. M.; Modica, G.; Maffi, S.; Pappalardo, G. C.: Polysulfone-Bonded Polyvinylpyridinium Membranes 2079B
Mörck, R. See Yoshida, H., 1187B
Morgan, R. J.
—; Mones, E. T.: The Cure Reactions, Network Structure, and Mechanical Response of Diaminodiphenyl Sulfone-Cured Tetraglycidyl 4,4′ Diaminodiphenyl Methane Epoxies, 999A
—; Walkup, C. M.: Epoxy Matrices for Filament-Wound Carbon Fiber Composites, 37B
Mori, S.
Derivative Ultraviolet and Visible Spectrophotometry: Applications to Polymer Analysis, 1923A
—; Uno, Y.: Separation and Characterization of Low-Conversion Poly(styrene-co-methyl methacrylate) by Liquid Adsorption Chromatography, 2689B
Morita, M.
—; Higuchi, M.; Sakata, I.: Binding of Heavy Metal Ions by Chemically Modified Woods, 1013B
Moriwaki, T. See Kubota, S., 1763A
Morrison, F.
—; Le Bourvellec, G.; Winter, H. H.: Flow-Induced Structure and Rheology of a Triblock Copolymer, 1585A
Moussa, K. See Decker, C., 1603B
Mrázek, Z.
—; Kolínský, M.; Jungwirt, A.: Copolymerization of Vinyl Chloride with 1-Olefins. III. An Investigation of the Copolymerization Reaction of Vinyl Chloride with 1-Butene and 1-Pentene, 2681B
Mukherjee, A. K.
—; Kulkarni, S. G.; Chakravarty, S. N.: Evaluation

of Adhesion Characteristics of Nylon-6 Tire Cord to Natural Rubber, 913B
Mukherjee, D. P. See Chakraborty, S. K., 2623B
Müller, A. V. See Di Filippo, G. V., 1959B
Muller, R.
—; Barea, J. L.; Sanseau, P.: Tensile Stress Measurements on Linear and Branched Low-Density Polyethylene Melts. Interpretation of Results with a Generalized Maxwell Model, 289A
Muñoz-Escalona, A.
—; Garcia, H.; Albornoz, A.: Homo- and Copolymerization of Ethylene with Highly Active Catalysts Based on $TiCl_4$ and Grignard Compounds, 977B
Murakami, K. See Suh, K.-D., 223B
—; See Tamura, S., 1663A
Murata, Y. See Yamada, K., 1649A
Musto, P. V. See Greco, R., 2513A
Myers, M. N. See Schimpf, M. E., 117A, 2269A

Nada, A. M. A.
—; El-Saied, H.; Ibrahem, A. A.; Yousef, M. A.: Waste Liquors from Cellulosic Industries. IV. Lignin as a Component in Phenol Formaldehyde Resol Resin, 2915A
Nadkarni, V. M. See Vaidya, U. R., 235B
Naé, H. N.
Cure and Thermal Properties of Brominated Epoxy Systems, 1173A
Nagai, S. See Agari, Y., 1429B
Nagata, S. See Ueno, N., 1677B
Nair, P. See Pandey, S. N., 2179A
Nakamura, N.
Study on Ketalization Reaction of Polyvinylalcohol by Ketones. I. Reaction between Polyvinylalcohol and Acetone, 2065A
—; Study on Ketalization Reaction of Polyvinylalcohol by Ketones. II. Behavior of Polyvinylketal, Obtained by Acetone, in Water, 1715A
Nakamura, S.
—; Kasatani, H.; Matsuzaki, K.: Graft Copolymerization of Styrene onto Ethylene-Vinyl *p*-Nitrobenzoate Copolymer by Chain Transfer Reaction, 227A
Nakamura, Y.
—; Tabata, H.; Suzuki, H.; Iko, K.; Okubo, M.; Matsumoto, T.: Internal Stress of Epoxy Resin Modified with Acrylic Core-shell Particles Containing Functional Groups Prepared by Seeded Emulsion Polymerization, 885A
Nakano, J. See Isogai, A., 1283A
—; See Kondo, T., 55B
Nakatsuka, T.
Polyacrylate-Graft Silica Gel as a Support of Lipase Interesterifying Triacylglycerol in Organic Solvent, 2125B
Nakayama, M. See Egawa, H., 1993A, 1557B
—; See Nonaka, T., 1025B
Napolitano, M. J.
—; Moet, A.: Mechanism of Cold Drawing in Melt-Spun Poly(ethylene Terephthalate) Fibers, 1285B
Narasimhan, V. See Somanathan, N., 2299B
Narkis, M. See Silverstein, M. S., 2529A
Nate, K.
—; Inoue, T.; Sugiyama, H.; Ishikawa, M.: Organosilicon Deep UV Positive Resist Consisting of Poly(*p*-disilanylenephenylene), 2445B
Natov, M.
—; Vasileva, S.; Kotsev, G.: On the Long-Term Strength of Specimens Made of Phenol-Formaldehyde Press Powders, 1943A
—; Vassileva, St.; Trifonov, P.: Investigation of PVC Life at Sinusoidal Loading, 785B
Nayak, B. See Sanyal, S., 1415B
Nayak, P. L. See Lenka, S., 21A
—; See Das, A. P., 2139B
—; See Samal, S., 1853A
Negm, A. H. See Sedahmed, G. H., 47B
Nelson, G. L. See Hoyle, C. E., 763B
Neumann, M. G.
—; Hioka, N.: Aggregation of Basic Dyes Induced by Anionic Polyelectrolytes, 2829B
Ng, T. H.
—; Williams, H. L.: Prediction of Stress–Relaxation and Creep of Linear Aromatic Polyesters Related to Poly(ethylene Terephthalate) in the Nonlinear Range, 739A
Nicolais, L.
—; Apicella, A.; Grimaldi, P.: Calorimetric Quality Control of UV Cured Optical Fiber-Coatings, 2077A
Nierzwicki, W.
NCO/NH_2 Ratio in Ureaurethane Elastomers and Microphase Separation, 1241A
Nishikawa, H. See Sada, E., 3037A
Nishikubo, T.
—; Tanaka, K.: A Novel Reaction of Epoxy Resins with Polyfunctional Active Esters , 2821A
Nishimura, H.
—; Sarko, A.: Mercerization of Cellulose. III. Changes in Crystallite Sizes, 855A
—; Sarko, A.: Mercerization of Cellulose. IV. Mechanism of Mercerization and Crystallite Sizes, 867A
Nishio, Y. See Takahashi, T., 2757B
Nishiyama, N.
—; Horie, K.; Asakura, T.: Hydrolysis and Condensation Mechanisms of a Silane Coupling Agent Studied by ^{13}C and ^{29}Si NMR, 1619B
No, Y. G. See Hoyle, C. E., 763B
Nonaka, T. See Egawa, H., 243A, 1993A, 443B, 1557B
—; Maeda, H.; Nakayama, M.; Egawa, H.: Transport of Alkali Metal Ions Against Its Concentration Gradient through 2,3-Epithiopropyl Methacrylate–Methacrylic Acid Copolymer Membrane, 1025B
Nosseir, M. H. See Doss, N. L., 1117B
—; See Kamal, M. M., 1609A

Oaul, D. R. See Chiou, J. S., 1823A
O'Brien, K. C. See Kim, T. H., 1767B
Ochoa, J. R. See Katime, I. A., 1953B
O'Connor, D.
—; Blum, F. D.: Thermal Stability of Substituted Phenol-Formaldehyde Resins, 1933A
O'Connor, K. M. See Scholsky, K. M., 2925A
—; Tsaur, S.-L.: Phase Rearrangement in Two-Stage Emulsion Polymers of Butyl Acrylate and Styrene: Mechanical Properties, 2007A
Ogata, N. See Yoshikawa, M., 2369A
—; See Yoshikawa, M., 1777B
Ogata, S.-I.
—; Maeda, H.; Kakimoto, M.-A.; Imai, Y.: Structure–Property Relationship in Polybutadiene–Polyamide Multiblock Copolymers, 775A
Ogawa, T.
—; Marvel, C. S.: Effects of Molecular Weight on Selected Physical Properties of Polyaromatic Ether-Ketones, 1579A
Ogiwara, Y. See Kubota, H., 3045A, 1227B
Ohmiya, Y.
—; Kuroda, K.; Kambe, H.: Mechanical Properties of an Aromatic Polyamide-imide Composite Film Reinforced with an Aromatic Polyamide Fiber Cloth at High Temperature, 1601A
Ohmura, N.
—; Kagiyama, Y.; Mizutani, Y.: Interaction of Cation-Exchange Membrane with Polycation I. Poly(*N*-Methyl-4-Vinylpyridinium Chloride), 1173B
Oikawa, E.
—; Tsurumaki, S.: Solute Separation by the Amidoxime of Poly(4-Vinylpyridine-co-Acrylonitrile), 337B
Oikawa, H. See Suh, K.-D., 223B
Okay, O.
Porous Maleic Anhydride–Styrene–Divinylbenzene Copolymer Beads, 307B
Okazaki, A. See Hirai, T., 527B
Okazaki, S. See Momose, Y., 2715A

Okieimen, E. F.
—; Idehen, K. I.; Ahiedu, H.: Graft Copolymerization of Methyl Methacrylate on Holocellulose, 737B
Okubo, M.
—; Preparation of Carboxylated Polymer Emulsion Particles in which Carboxyl Groups Are Predominantly Localized at Surface Layer by Using the Seeded Emulsion Polymerization Technique, 1511B
—; See Kamei, S., 1439B
—; See Nakamura, Y., 885A
Ollis, W. D. See Abu-Zeid, M. E., 489B
Olteanu, M. See Vîlcu, R., 2431A
Omikorede, E. O. See Al-Malaika, S., 703A
Onozato, K. See Suzuki, F., 2197B
Orchin, M. See Feldman, J., 969B
Orlandoni, A. M. See Montoneri, E., 2079B
Ortiz, I. See Blazquez, I., 2107A
Ostberg, G. M. K.
—; Seferis, J. C.: Annealing Effects on the Crystallinity of Polyetheretherketone (PEEK) and Its Carbon Fiber Composite, 29A
Otsuhata, K. See Razzak, M. T., 2345A
Otterstedt, J.-E. A. See Otterstedt, O. E., 2575B
Otterstedt, O. E.
—; Otterstedt, J.-E. A.; Ekdahl, J.; Backman, J.; Andersson, C.-H.: Fine Colloidal Silica as Reinforcing Filler in Polyurethane Polymers, 2575B
Overend, R. P. See Carrasco, F., 153B

Padhye, M. R.
—; Karandikar, A. V.: Effect of Thermal and Solvent Treatment on the Viscoelastic Behavior of PAN Fiber in the Glass-Rubber Transition Region, 1675A
Pal, S. N. See Saxena, A., 1727B
Palmese, G. R. See Gillham, J. K.: Time–Temperature–Transformation (TTT) Cure Diagrams: Relationship between T_g and the Temperature and Time of Cure for a Polyamic Acid/Polyimide System, 1925B
Pan, D. See Wu, Z., 2877A
Pandey, S. N.
Derivative Infrared Spectroscopy of Cotton Cellulose, 1199B
—; Nair, P.: Mercerized and Cross-linked Cotton Yarns I. Effect of Tension During Mercerization on Degree of Cross-linking and Distention Index, 2179A
Pannone, M. C.
—; Macosko, C. W.: Kinetics of Isocyanate Amine Reactions, 2409B
Papaspyrides, C. D. See Kampouris, E. M., 205A
Pappalardo, G. C. See Montoneri, E., 2079B
Parazak, D. P. See McCarthy, K. J., 1683A, 1699A, 1311B
Pasad, D. M.
—; Beck, K. R.; Vail, S. L.: Influence of Reagent Residues and Catalysts on Formaldehyde Release from DMDHEU-Treated Cotton, 549B
Pascault, J.P. See Lin, Y. G., 685A
Pastýr, J. See Šimkovic, I., 1057B
Patel, G. S. See Iyer, P. B., 1081B
Patel, M.
—; Suthar, B.: Glass-Reinforced Interacting Blends of Epoxy/Polyurethane Based on Castor Oil: Synthesis and Characterization. II, 67A
—; Suthar, B.: Interpenetrating Polymer Networks (IPNs) from Castor Oil-Based-Polyurethanes and Poly(ethyl Acrylate). VII., 2037B
Patel, R. D.
—; Patel, R. G.; Patel, V. S.; Pearce, E. M.: Kinetic Investigation on the Curing of Phenol-Furfural Resin by Differential Scanning Calorimetry, 2583B
Patel, R. G. See Patel, R. D., 2583B
Patel, V. S. See Patel, R. D., 2583B
Patil, D. R. See Meister, J. J., 1887A
Patil, N. B. See Iyer, P. B., 1081B

Paul, D. R. See Chiou, J. S., 1823A, 2935A, 1037B, 1503B
—; See Christiansen, W. H., 537B
—; See Keskkula, H., 1861B
—; See Tucker, P. S., 1817B
Pearce, E. M. See Patel, R. D., 2583B
Peck, M. C. P.
—; Carter III, R. O.; Qaderi, S. B. A.: Near Infrared Measurements of Terminal Epoxides in Polymer Resin Systems. I. Analytical Considerations, 77A
—; See Qaderi, S. B. A., 2313B
Peev, G.
—; Trifonova, M.; Peeva, L.; Michailov, P.: Kinetics of Styrene Removal from Polystyrene by Thermal Treatment in Air, 283A
Peeva, L. See Peev, G., 283A
Peppas, N. A. See Lucht, L. M., 1557A, 2777A
—; See Lustig, S. R., 533A
—; See Urdahl, K. G., 2669A
Percec, S.
Chemical Modification of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) by Friedel–Crafts Reactions, 191A
Perera, M. C. S.
Surface Modification of Natural Rubber Laces, 2591B
—; Elix, J. A.; Bradbury, J. H.: A ^{13}C NMR Study of Hydroxylated Natural Rubber, 2731A
Perminova, V. N. See Ionov, V. N., 1949A
Peters, R. H. See Awodi, Y. W., 2503A
Pethrick, R. A. See Doyle, S. E., 95A
Pfister, G. See Kraxenberger, M., 2069B
Phatak, A.
—; Burns, C. M.; Huang, R. Y. M.: Transport of Ethylene Oxide Through Polymer Films, 1835B
Pickett, J. E.
Calculation of the Efficiency of Ultraviolet Screeners in Plastics, 525A
Piirma, I. See Su, J. S. N., 727A
Plaček, J. See Šimkovic, I., 1057B
Podgórski, M.
—; Podkościelny, W.: Linear Polysulfonates. I. Products of 4,4′-(1-Cyclohexylidene) Diphenol and 4,4′-(2-Norbolidene) Diphenol with Some Aromatic Disulfonyl Chlorides, 639B
Podkościelny, W. See Podgórski, M., 639B
—; Szubinska, S.: Linear Polythioesters. XII. Products of Polycondensation Some Isomeric Di(mercaptomethyl) trimethylbenzenes with Isophthaloyl and Terephthaloyl Chlorides, 143B
Poehlein, G. W. See Chern, C.-S., 2117A
Popoola, A. V. See Awodi, Y. W., 2503A
Porter, R. S. See Guan, J. Y., 1517A
Prémont, S. See Jutier, J.-J., 1359A
Price, D. See Horrocks, A. R., 1901B
Procházka, O.
—; Kratochvíl, P.: An Analysis of the Accuracy of Determining Molar-Mass Averages of Polymers by GPC with an On-Line Light-Scattering Detector, 2325B
Prud'homme, R. E. See Jutier, J.-J., 1359A
Prud'homme, R. K. See Besio, G. J., 825A
—; See Sugarman, J. H., 693A
Pua, C. L. See Goh, S. H., 353A
Puri, R. K. See Brar, A. S., 1447A
Pusch, W. See Chen, J.-Y., 1809A

Qaderi, S. B. A. See Peck, M. C. P., 77A
—; Peck, M. C. P.; Bauer, D. R.: Characterization of Solutions and Aqueous Dispersions of Epoxy/Amidoamine Resins, 2313B
Qian, B. See Wu, Z., 2877A
Qipeng, G. See Zhikuan, C., 2223B

Radhakrishnan, T. S.
—; Rao, M. R.: Characterization of Cured Polysulfide Polymers by Thermal Degradation: Pyrolysis-GC and Thermogravimetric Studies, 1985B
Rajadurai, S. See Saikumar, C., 651B
—; See Soundararajan, S., 247B

Rajbenbach, L. A. See Haruvy, Y., 389A
Ramachandhran, V. See Thomas, K. C., 2527B
Ramaswamy, R.
—; Achary, P. S.; Shine, K. G.: Some Aspects on the Synthesis and Characterization of Dodecenyl Succinic Anhydride (DDSA)—a Curing Agent for Epoxy Resins, 49A
Rampalli, S. See Bhowmick, A. K., 1125A
Rangel-Nafaile, C. See Manero, O., 2053A
Rao, K. N. See Lokhande, H. T., 2753A, 2761A
—; See Rao, M. H., 2707A, 2743A
Rao, K. P. See Vasantha, R., 2271A
Rao, K. V. C. See Kumar, V. G., 1803B
Rao, M. H. See Lokhande, H. T., 2753A, 2761A
—; Rao, K. N.; Lokhande, H. T.; Teli, M. D.: Radiation Induced Grafting of Mixed Monomers onto Polyester and Polypropylene Fibers, 2707A
—; Rao, K. N.; Teli, M. D.; Jog, A. G.; Lokhande, H. T.: Grafting of Polypropylene Fibers. I. Radiation Grafting of Vinyl Monomers, Dyeing, and Hydrophilic Characteristics of the Grafted Polymer, 2743A
Rao, M. R. See Kumar, V. G., 1803B
—; See Radhakrishnan, T. S., 1985B
Rao, M V. S.
—; Dweltz, N. E.: Structure of Uniaxially Drawn Poly(Ethylene Terephthalate) Films and Its Influence on Dye Sorption, 835A
Rashmi, V. See Mittal, R. K., 627B
Ratner, B. D. See Cohn, D., 1A
Ray, W. H. See Floyd, S., 1021A
—; See Hutchinson, R. A., 657B
—; See Schork, F. J., 1259B
Razzak, M. T.
—; Otsuhata, K.; Tabata, Y.: Radiation-Induced Grafting of *N,N*-Dimethylacrylamide onto Polytetrafluoroethylene, 2345A
Reddy, B. S. R. See Soundararajan, S., 247B
Reid, J. D.
—; Buck, R. P.: Dielectric Properties of an Epoxy Resin and Its Composite II. Solvent Effects on Dipole Relaxation, 2293A
Ribes-Greus, A.
—; Diaz-Calleja, R.: Relationship between the Mechanical Relaxations in the α Zone and the Calorimetric Transitions in Low Density Polyethylene, 2819B
Richards, E. G. See Meister, J. J., 1873A
Richards, J. M.
—; McClennen, W. H.; Meuzelaar, H. L. C.; Shockcor, J. P.; Lattimer, R. P.: Determination of the Structure and Composition of Clinically Important Polyurethanes by Mass Spectrometric Techniques, 1967B
Richardson, A. See Taraiya, A. K., 2559A
Roberts, G. D.
—; Lauver, R. W.: Quantitative Analysis of PMR-15 Polyimide Resin by HPLC, 2893A
Roberts, W. E. See Martin, J. W., 377B
Rodriguez, E. L.
Thickening Reaction of Unsaturated Polyester Resins with Inorganic Oxides and the Rubber Elasticity Theory, 881B
—; Filisko, F. E.: Thermal Effects in Poly(hexamethylene Adipamide) and Polyoxymethylene at High Hydrostatic Pressures, 2151A
Rogerson, C. V. See Chadda, S. K., 2713B
Rollings, J. E. See Yu, L.-P., 1909A
Romano, G. See De Candia, 211B
Ronca, G.
Concentrated Polymer Solution Between Plates, 2623A
Roos, J. See Geerissen, H., 271B
Rosseel, T. M. See Dale, J. M., 3055A
Rowe, R. C. See Sakellariou, P., 2507B
Rudin, A. See Bugada, D. C., 87A, 501B
—; See Devon, M. J., 469B
Rusanov, S. Ya. See Ionov, V. N., 1949A
Russo, R. See De Candia, F., 211B, 689B
—; See De Candia, F., 689B
Rutkowska, M.
—; Eisenberg, A.: Ion–Dipole Interactions in Polyether Polyurethane–Styrene Ionomers Blends, 2833A
Ryu, H.-S. See Zeronian, S. H., 2587A

Sada, E.
—; Kumazawa, H.; Mizutani, S.; Ando, T.: Transport of Acid Dye in Nylon and Concentration Dependence of the Diffusion Coefficient, 305A
—; Kumazawa, H.; Xu, P.; Nishikawa, H.: Gas Transport in Rubbery Polymers, 3037A
Sadocco, P. See Beltrame, P. L., 2965A
Saenger, K. L.
—; Tong, H.-M.: Laser Interferometric Measurement of Polymer Thin Film Thickness Changes During Processing, 1777A
Sagoo, P. S. See Barrie, J. A., 2253A
Sahu, G. See Samal, S., 1853A
Saikumar, C.
—; Rajadurai, S.: Synthesis and Characterization of Castor Oil Urethane Triamine Networks, 651B
Saini, A. K. See Brar, A. S., 1447A
Saini, D. R.
—; Shenoy, A. V.: Quick Estimation of Dilute Polymer Solution Rheology and Activation Energy, 41A
Saito, K. See Kokufuta, E., 517B
Saito, S. See Hasegawa, M., 411A
Sakamoto, M. See Kuramoto, N., 785A
Sakata, I. See Morita, M., 1013B
Sakata, J.
—; Hirai, M.; Yamamoto, M.: Plasma-Polymerized Membranes and Gas Permeability III, 2701B
Sakellariou, P.
—; Rowe, R. C.; White, E. F. T.: The Interactions and Partitioning of Low Molecular Weight Polyethylene Glycols and Diethyl Phthalate in Ethylcellulose/Hydroxypropyl Methylcellulose Blends, 2507B
Salem, M. A. See Shaaban, A. F., 2203A
Salovey, R. See Wang, X.-Y., 593B
Samal, S.
—; Sahu, G.; Lenka, S.; Nayak, P. L.: Photo-Induced Graft Copolymerization XI. Graft Copolymerization of Methyl Methacrylate onto Silk Using Isoquinoline-Sulphur Dioxide Charge-Transfer Complex as the Initiator, 1853A
Samui, A. B. See Deb, P. C., 775B
Sanjeevi, R. See Somanathan, N., 2299B
Sankholkar, S. C. See Deb, P. C., 775B
Sanseau, P. See Muller, R., 289A
Sanui, K. See Yoshikawa, M., 2369A, 1777B
Sanyal, S.
—; Nayak, B.: Electroninitiated Copolymerization of *N*-Vinylcarbazole and α-Methylstyrene in a Mixed Biphasic Medium, 1415B
Saraf, R. F. See Guan, J. Y., 1517A
Sarkar, S. See Adhikari, M. S., 109B
Sarko, A. See Nishimura, H., 855A, 867A
Sasaki, S. See Ueno, N., 1677B
Sasaki, T. See Egusa, S., 2163B, 2177B
Satgurunathan, R. See Hourston, D. J., 215A, 901B
Sato, T. See Momose, Y., 2715A
Sautereau, H. See Lin, Y. G., 685A
Saxena, A.
—; Kalliyanakrishnan, V.; Pal, S. N.: Studies on the Effects of Gamma Irradiation on Nontoxic PVC Formulations, 1727B
Schiering, D. W.
—; Katon, J. E.; Drzal, L. T.; Gupta, V. B.: An Infrared Spectroscopic Investigation of the Curing Reactions of the EPON 828/Meta-Phenylenediamine System, 2367B
Schimpf, M. E.
—; Myers, M. N.; Giddings, J. C.: Measurement of

Polydispersity of Ultra-Narrow Polymer Fractions by Thermal Field-Flow Fractionation, 117A
—; Myers, M. N.; Giddings, J. C.: Erratum to "Measurement of Polydispersity of Ultra-Narrow Polymer Fractions by Thermal Field-Flow Fractionation," 2269A
Schlingmann, M. See Franz, R., 1291A
Scholsky, K. M.
—; O'Connor, K. M.; Weiss, C. S.; Krukonis, V. J.: Characterization of Copolymers Fractionated Using Supercritical Fluids, 2925A
Schork, F. J.
—; Ray, W. H.: The Dynamics of the Continuous Emulsion Polymerization of Methylmethacrylate, 1259B
Schreiber, H. P. See Ajji, A., 2493A
Schützeichel, P. See Geerissen, H., 271B, 287B
—; See Geerissen, H., 287B
Schweinsberg, D. P. See George, G. A., 2281A
Scott, G. See Adeniyi, J. B., 2673B
—; See Al-Malaika, S., 703A, 1455A
Sedahmed, G. H.
—; El-Abd, M. A.; Zatout, A. A.; Negm, A. H.: Diffusion of Electrolytes in Dilute Polymer Solutions, 47B
Seeger, R. See Bhowmick, A. K., 1125A
Seferis, J. C. See Ostberg, G. M. K., 29A
—; See Viot, J.-F., 1459B
Sefton, M. V. See Gupta, J. P., 165A
—; See Stevenson, W. T. K., 65B
Senō, M. See Lerma, M. S., 625A
Seppälä, J. See Suuronen, M., 617B
Seves, A. See Beltrame, P. L., 2965A
Sha, M. L. See Meister, J. J., 1859A, 1873A
Shaaban, A. F.
—; Arief, M. M. H.; Mahmoud, A. A.; Messiha, N. N.: Organotin Polymers. IX. Copolymerization Parameters of Di-(tri-*n*-Butyltin) Itaconate with Styrene and Methyl Methacrylate, 1735A
—; Salem, M. A.; Messiha, N. N.: Unsaturated Polyesters. III. Kinetics of Polyesterification of Cinnamylsuccinic Acid with Ethylene Glycol, 2203A
Shankernarayanan, M. J. See Magill, J. H., 2337B
Sharma, G. K. See Shukla, J. S., 191B
Sharma, S. K.
—; Misra, A.: The Effect of Stretching Conditions on Properties of Amorphous Polyethylene Terephthalate Film, 2231B
Shenoy, A. V. See Saini, D. R., 41A
Shibayama, K. See Tsujita, Y., 1307A
Shim, I. W. See Feldman, J., 969B
Shimasaki, K.
—; Ihara, H.; Mizutani, Y.: Modification of Cation Exchange Membrane by Grafted Poly(4-vinyl-*N*-methylpyridinium-iodide), 1093B
Shine, K. G. See Ramaswamy, R., 49A
Shiraishi, N. See Shiratsuchi, K., 1217B
Shiratsuchi, K.
—; Matsumoto, T.; Yao, S.; Shiraishi, N.: Dynamic Viscoelastic Properties in the Molten State for Cellulose Acylates and (Cellulose Oligo-Oxymethylene Ether) Acylates, 1217B
Shkolnik, S. See Chang, J., 2105B
Shockcor, J. P. See Richards, J. M., 1967B
Shuhaibar, K. F. See Lahalih, S. M., 2997A
Shukla, J. S.
—; Tewari, S. C.; Sharma, G. K.: Graft Copolymerization of Poly(methyl Methacrylate) onto Wool by Potassium Persulfate–Thiourea Redox Couple in the Presence of Air. V, 191B
Shultz, A. R. See Andrady, A., 1389A
—; Andrady, A. L.: Protection of Polymers from Degradation by Ultraviolet Light: Compensation for Increased UV Light Intensity by Increased UV Absorber Concentration, 2249A
Shyu, G.-D. See Chiu, W.-Y., 1493B
Shyu, S. S.
—; Chen, D. S.; Lai, J. Y.: Polycarbonate-Polyurethane Semi-Interpenetrating Polymer Networks: T_g Behavior and Morphology, 2151B
—; See Lai, J. Y., 559B
Siegl, W. O. See Chattha, M. S., 1829A
Siegmann, A.
—; Hadas, A.: Irreversible Deformation of Plasticized and Impact-Modified Poly(vinyl Chloride), 2689A
Sieiro Del Nido, C. See Katime, I. A., 1953B
Silverstein, M. S.
—; Narkis, M.: Elastomeric Domain-Type Interpenetrating Polymer Networks, 2529A
Šimkovic, I.
—; Alföldi, J.; Antal, M.: New Aspects in Cationization of Lignocellulose Materials. VIII. Modification of Immitted Spruce Wood with Quarternary Ammonium Groups, 2063B
—; Ebringerová, A.; Antal, M.; Micko, M. M.: New Aspects in Cationization of Lignocellulose Materials. V. Modification of Rotten Aspen Wood Meal with Quarternary Ammonium Groups, 1955A
—; Ebringerová, A.; Antal, M.; Micko, M. M.: New Aspects in Cationization of Lignocellulose Materials. VI. Modification of Steam-Exploded Aspen Wood Chips with Quarternary Ammonium Groups, 1779B
—; Hirsch, J.; Ebringerová, A.; Königstein, J.: Thermal Degradation of Model Compounds with Blocked Hemiacetal Group Related to (4-O-Methyl-D-Glucurono)-D-Xylan, 1473A
—; Mlynár, J.; Alföldi, J.; Antal, M.: New Aspects in Cationization of Lignocellulose Materials. VII. Modification of Spruce Wood Meal with Quarternary Ammonium Groups, 2651A
—; Pastýr, J.; Antal, M.; Balog, K.; Košik, S.; Plaček, J.: New Aspects in Cationization of Lignocellulose Materials. IX. Flame Retardancy Effect of Modification with Nitrogen and Sulfur Containing Groups, 1057B
Singh, B. C. See Misra, M., 2809A
—; See Mohanty, A. K., 1325B
Singh, R. P. See Deshmukh, S. R., 1963A
—; See Malhotra, J. P., 2467A
Siódmiak, J. See Mieloszyk, J., 1577B
Siow, K. S. See Goh, S. H., 353A, 1849A
—; See Goh, S. H., 1849A
Sirashki, G. See Mateva, R., 2885A
Smith, D. A. See Cheng, H. N., 909B
Snow, A. W. See Cozzens, R. F., 601B
Sohoni, G. B.
—; Mark, J. E.: Anisotropic Reinforcement in Elastomers Containing Magnetic Filler Particles, 2853B
Somanathan, N.
—; Arumugam, V.; Sanjeevi, R.; Narasimhan, V.: Mechanical Properties of Grafted Casein Films, 2299B
Song, J. H. See Thompson, D., 1063B
Sood, D. S. See Misra, B. N., 167B
Sorrells, D. L. See Stewart, M. E., 2493B
Soundararajan, S.
—; Reddy, B. S. R.; Rajadurai, S.; Thyagarajan, G.: Synthesis and Characterization of Lacquers Based on Styrene Acrylic Copolymers for Applications in Leather Industry, 247B
Spencer, H. G. See Goradia, U. B., 1525A
Sperling, L. H. See Chang, M. C. O., 409B
—; See Foster, J. N., 2637A
Spitz, R. See Masson, P., 1335B
Spruiell, J. E. See Chen, S., 1427A, 1477B
—; See Lu, F.-M., 1521B, 1541B
Sreenivasan, S. See Iyer, P. B., 1081B
Srivastava, H. C. See Dave, J., 455A
Staikos, G. See Tsitsilianis, C., 3081A
Stanford, J. L. See Cawse, J. L., 997A, 1445A, 2217A, 2231A
Stanley, F. W., Jr. See Sugarman, J. H., 693A
St. Clair, T. L. See Burks, H. D., 351B
Stein, R. S. See Keskkula, H., 1861B
—; See Kumar, S., 1693B, 1703B
Stenberg, B. See Björk, F., 2649B

Steppan, D. D.
—; Doherty, M. F.; Malone, M. F.: A Kinetic and Equilibrium Model for Nylon 6,6 Polymerization, 2333A
—; Doherty, M. F.; Malone, M. F.: Erratum to "A Kinetic and Equilibrium Model for Nylon 6,6 Polymerization," 2345B
Stevenson, W. T. K.
—; Evangelista, R. A.; Broughton, R. L.; Sefton, M. V.: Preparation and Characterization of Thermoplastic Polymers from Hydroxyalkyl Methacrylates, 65B
Stewart, M. E. See Connelly, R. W., 703B
—; Hopfenberg, H. B.; Koros, W. J.; McCoy, N. R.: The Effect of Sorbed Penetrants on the Aging of Previously Dilated Glassy Polymer Powders. II. *n*-Propane Sorption in Polystyrene, 721B
—; Sorrells, D. L.; McCoy, N. R.; Koros, W. J.; Hopfenberg, H. B.: The Effect of Sorbed Penetrants on the Aging of Previously Dilated Glassy Polymer Powders. Part III: The Effect of Exposure to Lower Alcohols on Enthalpy Relaxations in Poly(methylmethacrylate), 2493B
Stiel, L. I. See Hu, D. S., 551A
Still, R. H. See Cawse, J. L., 997A, 1445A, 2217A, 2231A
Stransky, P. D.
—; Johnson, J. F.; Yates, W. R.: Accelerated Heat Age Testing of Phenolics: Morphological Changes, 2259B
Struszczyk, H.
Microcrystalline Chitosan. I. Preparation and Properties of Microcrystalline Chitosan, 177A
Su, J. S. N.
—; Piirma, I.: Block Copolymers Obtained by Free Radical Mechanism III. Synthesis in Emulsion, 727A
Sugarman, J. H.
—; Prud'homme, R. K.; Langhorst, M. A.; Stanley, F. W., Jr.: Detection of Microgels in Polyacrylamide Solutions Using Microcapillary Flow Analysis, 693A
Sugihara, E. See Egawa, H., 1993A
Sugita, K. See Ueno, N., 1677B
Sugiyama, H. See Nate, K., 2445B
Suh, K.-D.
—; Oikawa, H.; Murakami, K.: Influence of Physical Relaxation on Chemical Stress–Relaxation of Natural Rubber Vulcanizates, 223B
Sukegawa, K. See Ban, H., 2787A
Sun, D. C. See Magill, J. H., 2337B
Suprunchuk, T. See Day, M., 2041A
Suthar, B. See Patel, M., 67A, 2037B
Suto, S.
One Remark on the Temperature Dependence of Shear Viscosity in Biphasic Region for Cellulosic Lyotropic Liquid Crystals, 1773B
—; Kimura, S.; Karasawa, M.: Determination of the Order Parameter in Cholesteric Liquid Crystalline Phase Cellulose Derivatives Solutions by Refractometry, 3019A
Suuronen, M.
—; Seppälä, J.; Laine, J.; Elovainio, E.: Rheological Parameters of Polyolefin Suspensions, 617B
Suzuki, F.
—; Onozato, K.; Yaegashi, H.; Masuko, T.: Pervaporation of Organic Solvents by Poly[bis(2,2,2,-trifluoroethoxy)phosphazene] Membrane, 2197B
Suzuki, H. See Nakamura, Y., 885A
Swanson, J. S. See Menon, R. S., 1141A
Sydor, R. J. See Chuang, J.-Y., 1739B
Sysoev, V. K. See Ionov, V. N., 1949A
Szanto, M. See Yossifon, S., 2025B
Szubinska, S. See Podkościelny, W., 143B

Tabata, H. See Nakamura, Y., 885A
Tabata, Y. See Razzak, M. T., 2345A
Takahasi, T. See Yamaura, K., 1983A
Takahashi, T.
—; Nishio, Y.; Mizuno, H.: Crystallization Behavior of Polybutene-1 in the Anisotropic System Blended with Polypropylene, 2757B
Takayanagi, M. See Yamada, K., 1649A
Takenaga, M.
Mechanical Relaxation Process at 208 K for Highly Irradiated Polytetrafluoroethylene, 2839A
Takeshita, T. See Miyauchi, N., 2601B
Takizawa, A. See Kohzaki, M., 2393A
—; See Tsujita, Y., 1307A
Tamura, K. See McGregor, R., 2777B
Tamura, S.
—; Murakami, K.: Chemorheology of Crosslinked Polyisoprene/Poly(butadiene co-Styrene) Blends, 1663A
Tanaka, K. See Nishikubo, T., 2821A
Tanaka, M. See Agari, Y., 1429B
Tanigami, T. See Yamaura, K., 1983A, 989B, 2347B
Taniguchi, A. See Kurita, K., 239A
Taraiya, A. K.
—; Richardson, A.; Ward, I. M.: Production and Properties of Highly Oriented Polypropylene by Die Drawing, 2559A
Tarcha, P. J. See Chu, V. P., 1917B
Tashiro, T.
Removal of Dodecylbenzenesulfonate by a System Based on Poly(Butadiene–Maleic Anhydride), 1487A
Tawfik, S. Y. See Kamal, M. M., 1609A
Taylor, T. W. See Floyd, S., 1021A
Teli, M. D. See Lokhande, H. T., 2753A, 2761A
—; See Rao, M. H., 2707A, 2743A
Teng, F. S.
—; Mahalingam, R.: Thin Polymer Films from Fluidized Electrode Bed Reactors, 2837B
Terán, C. C.
—; Macchi, E. M.; Figini, R. V.: Solution Properties and Molecular-Weight Distribution of Nylon 11, 2433B
Tewari, S. C. See Shukla, J. S., 191B
Thomas, D. A. See Chang, M. C. O., 409B
—; See Foster, J. N., 2637A
Thomas, K. C.
—; Ramachandhran, V.; Misra, B. M.: Electrochemical and Electrokinetic Characterization of Cellulose Acetate Polymeric Membranes, 2527B
Thomas, S.
—; Gupta, B. R.; De, S. K.: Extrudate Morphology of Blends of Plasticized Poly(vinyl Chloride) and Thermoplastic Copolyester Elastomer, 2053B
Thompson, D.
—; Song, J. H.; Wilkes, G. L.: Electron Beam Effects on Polymers: Structure–Property Behavior of Radiation-Cured bis-GMA, 1063B
Thompson, E. V. See Hall, J. A., 2029A
Thyagarajan, G. See Soundararajan, S., 247B
Tieghi, G. See Danusso, F., 2137A
Tillin, S. J. See Krochta, J. M., 1413A
Tjahjadi, M. See Gupta, S. K., 933A
Toi, K.
—; Izutsu, M.; Mizushima, A.; Ito, T.; Ikemoto, I.: The Differential Permeation Rate Measurement of Gases in PVAc, 2403A
Tomar, A. K. See Varma, I. K., 1377A
Tong, H.-M. See Saenger, K. L., 1777A
Trask, B. J.
—; Drake, G. L., Jr.; Margavio, M. F.: Thermal Properties of Tritylated and Tosylated Cellulose, 2317A
Trifonov, P. See Natov, M., 785B
Trifonova, M.
—; Peev, G., 283A
Tripathy, D. K. See Bhagawan, S. S., 1623A, 1581B
Trotignon, J.-P.
—; Verdu, J.: Skin-Core Structure–Fatigue Behavior Relationships for Injection-Molded Parts of Polypropylene. I. Influence of Molecular Weight and Injection Conditions on the Morphology, 1B
—; Verdu, J.: Skin-Core Structure–Fatigue Behavior Relationships for Injection-Molded Parts of Polypropylene. II. Morphology–Fatigue Behavior Relationships, 19B

Tsaur, S.-L. See O'Connor, K. M., 2007A
Tse-Sheepy, I. O. See Chadda, S. K., 2713B
Tsitsilianis, C.
—; Staikos, G.: Viscometric Determination of the Molecular Weight of Polymers in the Low Molecular Weight Region, 3081A
Tsujita, Y. See Kohzaki, M., 2393A
—; Shibayama, K.; Takizawa, A.; Kinoshita, T.; Uematsu, I.: Thermal Properties of Ethylene Ionomers, 1307A
Tsurumaki, S. See Oikawa, E., 337B
Tucker, P. S.
—; Barlow, J. W.; Paul, D. R.: Phase Behavior for Blends of Styrene Containing Triblock Copolymers with Poly(2,6-dimethyl-1,4-phenylene oxide), 1817B
Tunc, M. See Horrocks, A. R., 1901B
Tung, C. M.
—; Dynes, P. J.: Morphological Characterization of Polyetheretherketone–Carbon Fiber Composites, 505A
Turkington, P. See Blair, H. S., 641A
Tyagi, O. S. See Deshpande, D. D., 715A
—; Deshpande, D. D.: Inverse Gas Chromatography of Poly(*n*-Butyl Methacrylate): Effect of Flow Rate on Specific Retention Volume and Detection of Glass Transition Temperature, 2377B

Uematsu, I. See Tsujita, Y., 1307A
Uemura, K. See Egawa, H., 1557B
Ueno, N.
—; Doi, Y.; Sugita, K.; Sasaki, S.; Nagata, S.: Improvement of Plasma Etching Durability of Positive Working Resist by Copolymerization, Blending, and Crosslinking, 1677B
Uno, T. See Agari, Y., 1429B
Uno, Y. See Mori, S., 2689B
Urdahl, K. G.
—; Peppas, N. A.: Anomalous Penetrant Transport in Glassy Polymers V. Cyclohexane Transport in Polystyrene, 2669A
Uryu, T. See Ando, M., 1793A

Vaidya, R. A. See Mathias, L. J., 1157A
Vaidya, U. R.
—; Nadkarni, V. M.: Unsaturated Polyesters from PET Waste: Kinetics of Polycondensation, 235B
Vail, S. L. See Pasad, D.M., 549B
Van Gheluwe, P. See Cole, K. C., 395B
Varma, D. S.
—; Dhar, V. K.: Studies of Nylon 6/PET Polymer Blends: Structure and Some Physical Properties, 1103A
—; See Varma, I. K., 151A
Varma, H. C. See Hourston, D. J., 215A, 901B
Varma, I. K.
—; Gupta, S. P.; Varma, D. S.: Effect of Triallyl Cyanurate on the Properties of *bis*-Maleimide Resins, 151A
—; Tomar, A. K.; Anand, R. C.: Copolymerization of γ-Methacryloxy Propyl Trimethoxy Silane and Methyl Methacrylate, 1377A
Varriano-Marston, E.
An Infrared Microspectroscopy Method for Determining Deterrent Penetration in Nitrocellulose-Based Propellant Grains, 107A
Vasantha, R.
—; Rao, K. P.; Joseph, K. T.: Synthesis and Characterization of Vegetable Tannin-Vinyl Graft Copolymers Part I. Cutch-Poly(Methyl Acrylate) Graft Copolymers, 2271A
Vasileva, S. See Natov, M., 1943A
Vassileva, St. See Natov, M., 785B
Verdu, J. See Bellenger, V., 2647A
—; See Trotignon, J.-P., 1B, 19B
Vicente, F. See Blazquez, I., 2107A
Vilcu, R.
—; Bujor, I. I.;, Olteanu, M.; Demetrescu, I.: Thermal Stability of Copolymer Acrylamide–Maleic Anhydride, 2431A
Viot, J.-F.
—; Seferis, J. C.: Process-Resolved Morphology of Bismaleimide Matrix Composites, 1459B
Vittoria, V. See De Candia, F., 689B
Voss, H.
—; Friedrich, K.; Magill, J. H.: On the Wear Behavior of Doubly Oriented Polymers: Part II. Polyethylene and Polypropylene, 177B
—; Magill, J. H.; Friedrich, K.: On the Wear Behavior of Doubly-Oriented Polymers. I. Nylon 6, 1745A
Vouros, P. See Du Sorbier, B. M., 447B
Vratsanos, M. S.
—; Farris, R. J.: A Novel Method for Measuring the Uniaxial Mechanical Properties of an Epoxy Resin During Polymerization, 915A
Vrentas, J. S.
—; Chu, C.-H.: Concentration Dependence of Solvent Self-Diffusion Coefficients, 587B
—; Duda, J. L.; Hou, A.-C.: Determination of Free-Volume Parameters from Diffusivity Data in Glassy Polymers, 2581A

Waksman, D. See Martin, J. W., 377B
Walkup, C. M. See Morgan, R. J., 37B
Wall, P. See Howes, V. R., 1125B
Walter, P. See Cozzens, R. F., 601B
Walton, T. R.
An Environmentally Stable, Electrical Conducting Polymer Prepared from a Conjugated, Processable Acetylenic Monomer, 971A
Wang, K. J.
—; Lee, L. J.: Rheological and Extrusion Behavior of Dispersed Multiphase Polymeric Systems, 431A
Wang, S.-K. See Lee, Y.-D., 2265A
—; See Lee, Y.-D., 2267A
Wang, X.-Y.
—; Salovey, R.: Melting of Ultrahigh Molecular Weight Polyethylene, 593B
Ward, I. M. See Taraiya, A. K., 2559A
Weiss, C. S. See Scholsky, K. M., 2925A
Werner, K. E. See Hirata, T., 1533A
Wheatley, A. D. See Henderson, J. M., 669A
White, E. F. T. See Sakellariou, P., 2507B
White, J. R. See Iacopi, A. V., 577A, 607A
Whung, Y.-C. See Liaw, D.-J., 999B
Wickliffe, S. M.
—; Malone, M. F.; Farris, R. J.: Processing and Properties of Poly(*p*-Phenylene Benzobisthiazole)/Nylon Fibers, 931B
Wiles, D. M. See Carlsson, D. J., 875A
—; See Day, M., 2041A
Wilkes, G. L. See Thompson, D., 1063B
Williams, H. L. See Ng, T. H., 739A
Winkler-Hechenleitner, A. A.
—; Costa, M. C. P.; Galembeck, F.: Osmocentrifugation in Density Gradients: Application to Polymer Latex Separation, 853B
Winter, H. H. See Morrison, F., 1585A
Wolf, B. A. See Geerissen, H., 271B, 287B
Wood, P. E. See Xie, T. Y., 1749B
Woods, D. R. See Xie, T. Y., 1749B
Wu, G. J. See Lai, J. Y., 559B
Wu, Z.
—; Pan, D.; Fan, X.; Qian, B.: Thermal Shrinkage Behavior of Preoxidized Polyacrylonitrile Fibers During Carbonization, 2877A

Xie, T. Y.
—; Hamielec, A. E.; Wood, P. E.; Woods, D. R.: Experimental Investigation of Vinyl Chloride Polymerization at High Conversion—Temperature/Pressure/Conversion and Monomer Phase Distribution Relationships, 1749B
Xu, P. See Sada, E., 3037A

Yaegashi, H. See Suzuki, F., 2197B
Yamada, K.
—; Hashimoto, K.; Takayanagi, M.; Murata, Y.:

Effects of Rigid Segments on Structure and Properties of Unoriented and Oriented Poly(*p*-Phenylene Terephthalamide-*co*-Ethylene Terephthalates), 1649A
Yamada, R. See Yamaura, K., 989B
Yamamoto, H. See Egawa, H., 1557B
Yamamoto, M. See Sakata, J., 2701B
Yamaura, K.
—; Ikeda, K.-I.; Fujii, M.; Yamada, R.; Tanigami, T.; Matsuzawa, S.: Preparation and Properties of Very Thin Films of Syndiotacticity-rich Poly(vinyl Alcohol), 989B
—; Katoh, H.; Tanigami, T.; Matsuzawa, S.: Gels of Syndiotacticity-Rich Poly(vinyl Alcohol)–Water/Dimethyl Sulfoxide or –Water/Ethylene Glycol Solutions, 2347B
—; Takahasi, T.; Tanigami, T.; Matsuzawa, S.: Effect of Thermal Hysteresis on Melting of Syndiotacticity-Rich Poly(vinyl Alcohol) Hydrogel, 1983A
Yang, C.-F.
—; Crosby, C. M.; Eusufzai, A. R. K.; Mark, R. E.: Determination of Paper Sheet Fiber Orientation Distributions by a Laser Optical Diffraction Method, 1145B
Yang, C.-P.
—; Lee, T.-M.: Synthesis of New Flame-Retarding Epoxy Resin Based on 3′,5′,3″,5″-Tetrabromophenolphthalein, 2733B
Yang, H. H.
—; Chouinard, M. P.; Lingg, W. J.: Strain Birefringence of Kevlar Aramid Fibers, 1399B
Yang, H.-H. See Han, C. D., 1199A, 1221A
Yang, Y.-S. See Hsiue, G.-H., 2187B
Yao, C. W.
—; Burford, R. P.; Fane, A. G.; Fell, C. J. D.; McDonogh, R. M.: Hydrolysis and Other Phenomena Affecting Structure and Performance of Polyamide 6 Membrane, 2399B
Yao, S. See Shiratsuchi, K., 1217B
Yasukawa, Y. See Inagaki, N., 1641A
Yates, W. R. See Stransky, P. D., 2259B
Yavrouian, A. See Cebe, P., 2273B
Yen, W. S. See Farinato, R. S., 2353A
Yokota, K. See Kato, K., 2657A
Yoshida, H.
—; Mörck, R.; Kringstad, K. P.; Hatakeyama, H.: Kraft Lignin in Polyurethanes I. Mechanical Properties of Polyurethanes from a Kraft Lignin–Polyether Triol–Polymeric MDI System, 1187B
Yoshikawa, M.
—; Yukoshi, T.; Sanui, K.; Ogata, N.: Erratum to "Selective Separation of Water from Water–Ethanol Solution through Quarternized Poly(4-Vinylpyridine-Co-Acrylonitrile) Membranes by Pervaporation Technique, 2369A
—; Yukoshi, T.; Sanui, K.; Ogata, N.: Selective Separation of Water from Water–Ethanol Solution through Quaternized Poly(4-Vinylpyridine-Co-Acrylonitrile Membranes by Pervaporation Technique)," 1777B
Yossifon, S.
—; Szanto, M.: Dynamic Compression Characteristics of Flexible Foams. I. Similarity Model, Analysis, and Experiments, 2025B
Young, P. See Keskkula, H., 1861B
Yousef, M. A. See Nada, A. M. A., 2915A
Yu, L.-P.
—; Rollings, J. E.: Low-Angle Laser Light Scattering–Aqueous Size Exclusion Chromatography of Polysaccharides: Molecular Weight Distribution and Polymer Branching Determination, 1909A
Yu, N. See Hsiue, G. H., 319B
Yu, W. See Chen, S., 1477B
Yukoshi, T. See Yoshikawa, M., 2369A
—; See Yoshikawa, M., 1777B

Zatout, A. A. See Sedahmed, G. H., 47B
Zeronian, S. H.
—; Ryu, H.-S.: Properties of Cotton Fibers Containing the Cellulose IV Crystal Structure, 2587A
Zhang, H.
—; Li, S.; Luo, H.: Melt Flow and Fiber Properties of Copolyesters, 1353B
Zhikuan, C.
—; Qipeng, G.: Poly(phenylene oxide) Composites Containing Crosslinked Polystyrene Microspheres. II. Dark Crosses Observed in Microscope, 2223B
Zhorin, V. A.
—; Beluza, Y. M.; Ivanov, V. V.; Epstein, Y. V.; Enikolopian, N. S.; Bykov, V. A.: Cellulose Hydrolysis After Combined Action of High Pressure and Shear Deformation, 677B

Subject Index to Volumes 33 and 34

Please note that A refers to Volume 33 and B refers to Volume 34

Acetylene terminated monomer, 971A
Acid dye, and nylon 6 film, 305A
Acrylamide grafting, 389A, 871B
Acrylonitrile, 899A, 2105B
Acrylonitrile–butadiene rubber/polyethylene blends, 1301B
Acrylonitrile copolymers, 1703B
Active esters, reaction with epoxy resins, 2821A
Adherend melting point, 2485B
Adhesives, 2313B
Adiabatic heating, 2151A
Agricultural products, conversion to oxychemicals, 1413A
Agriculture, application of chemicals, 2069B
Alkali metal ions, transport, 1025B
Amide-functionalized polymers, 1157A
Amino-formaldehyde resins, 2975A
—, as dispersing agents, 2997A
—, stability, 3005A
Amorphous polyethylene terephthalate film, 2231B
Amorphous thermoplastics, deformation behavior, 1517A
Amphoteric emulsifier, 2657A
Anion exchange membranes, preparation, 1343A
Anionic dyes, 785A
Antioxidant action, 2673B
Antioxidants, 703A, 1455A, 2087A,
Aqueous alcohol solutions, 2187B
Area under loss modulus, 409B
Area under tan δ–temperature curve, 409B
Aromatic amines, 2985A
Aromatic polyamide fiber, 1601A
Aromatic polyamide-imide (PAI) film, 1601A
Aromatic polyimides, 1767B
Atactic polystyrenes, DSC data, 955A
Autocatalytic cure kinetics, 1725A
Azo dyes, 2965A

Basic dyes, aggregation, 2829B
Benzoyl peroxide (BPO), as crosslinking agent, 1209B
Birefringence, measurement, 137A
Bismaleimide matrix composites, 1459B
Bismaleimide resin, and water, 2253A
Blend polymers, 1889B
Blister test, 1567A
Block copolymers, 727A, 2163B
Boltzmann superposition principle, 203B
Bound water, effect on wood, 1187A
Bovine serum albumin, 785A

Carbohydrates, 1291A
Carbon-epoxy composites, 3055A
Carbon-fiber-reinforced polymer composite, reinforcement-matrix interaction, 361A
Carboxyl groups, localization, 1511A
Casein, 2299B
Castor oil-based polyurethanes, 651B, 2037B
Castor oil polystyrene divinyl benzene (PSN), 1803B
Castor oil polyurethane (COPUN), 1803B
Cation exchange membranes, 1093B
Cationic polyelectrolytes, 1311B
Cellulose, 871B
—, dissolution mechanism, 1283A
—, flame retardants, 863B
—, mercerization, 855A, 867A
—, thermal analyses, 1533A
—, vapor phase photografting, 1277B
Cellulose acetate membranes, 969B
Cellulose acetate polymeric membranes, 2527B
Cellulose acylates, dynamic viscoelastic properties, 1217B
Cellulose bound chlorophenols, 1345B
Cellulose ethers, 55B
Cellulose hydrolysis, 677B
Cellulose linters, acid-catalyzed degradation, 2097A
Cellulosic industries, waste liquors, 2915A
Cellulosic lyotropic liquid crystals, shear viscosity, 1773B
Chain extenders, 3069A, 2769B
Chelating resins, 1275A
Chemiluminescence (CL), 2281A
Chitin, 1249A
Chitosan, 2107A
Chitosan membranes, 641A
^{13}C-NMR spectroscopy, 87A
Coal particles, dynamic swelling studies, 1557A
Coals, macromolecular network structure, 2777A
Coatings, 2313B
Cobalt recovery, application of chitosan, 2107A
Coextrusion, 1713B
Colloidal silica, 2575B
Commercial polymers, 1259A
Copolyesters, fiber properties, 1353B
—, melt flow, 1353B
Copolymerization, mixed medium, 1415B
Copolymer rubber, degradation, 2549A
Copolymer-type polyacetals (POMs), crystallization behavior, 1997B
Copolymers, bulk functionalization, 2513A
—, degradation behavior, 2431A
—, kinetics of thermodestruction, 2885A
Cotton, flammability, 1901B
—, response to sodium hydroxide, 1081B
—, response to zinc chloride, 1081B
Cotton cellulose, derivative infrared (IR) spectroscopy, 1199B
Cotton fibers, containing cellulose IV crystal structure, 2587A
Cotton yarns, distention index (DI), 2179A
—, mercerization, 2179A
Critical molecular weight, 1067A
Crosslinked polyisoprene/poly(butadiene co-styrene) blends, chemorheology, 1663A
Crystallization, 85B, 97B
—, stress-induced, 211B
Cured epoxide resins, 261B
Cured polysulfide polymers, 1985B
Curie-point pyrolysis mass spectrometry (Py-MS), 1967B
Cyanurate network polymers, laser pyrolysis, 601B
1-Cyclohexylthio-2-mercaptobenzimidazole, antioxidant activity, 1977B

Desmetryn, 2069B
Dextrans, thermomechanical depolymerization, 153B
Diaminodiphenyl sulfone (DDS)-cured tetraglycidyl 4,4′diaminodiphenyl methane epoxies, cure reactions, 999A
2-Diazonaphthalenone sulfonic acid, esters, 447B
Dicyandiamide-cured epoxy networks, processing property relationship, 685A

Differential scanning calorimetry (DSC), 2431A, 2959A, 2583B
Dilute polymer solution rheology, 41A
Dimethyl terephthalate (DMT), transesterification with poly(tetramethylene ether) glycol (PTMEG) and 1,4-butanediol (BD), 329A
Dipole relaxation, 2293A
Direct probe pyrolysis high resolution mass spectrometry (Py-HRMS), 1967B
Dispersed multiphase polymer melts, rheological behavior, 431A
Divinylbenzene-crosslinked terpolymers, 517B
DMDHEU-treated cotton, formaldehyde release, 549B
Dodecenyl succinic anhydride (DDSA), synthesis, 49A
Dodecylbenzenesulfonate, removal, 1487A
Dondos–Benoit relationship, 3081A
Doubly oriented polymers, 2337B
—, wear behavior, 1745A
Drawn polypropylene (PP)/polybutene-1 (PB-1) blends, 2757B
DSC measurements, 1725A
Dye sorption, 835A
Dynamic birefringence, 1693B, 1703B
Dynamic dielectric analysis, 1447B

Egyptian delta titano magnetite ore (EDTMO), surface modification, 1977A
Elastomers, 2853B
Electric birefringence measurements, 825A
Electroinitiated homopolymerization, 1415B
Electrolytes, diffusion in polymer solutions, 47B
Electron beam irradiation, 389A
Electron irradiation, 2163B, 2177B
Electron spectroscopy for chemical analysis (ESCA), 1889B
Emulsifiers, 2631B
Enzyme immunoassay (EIA), 1917B
EPON 828/meta-phenylenediamine system, 2367B
Epoxide-amine networks, packing density, 2647
Epoxide resins, 261B
Epoxides, curing mechanism, 2547B
Epoxy/amidoamine resins, 2313B
Epoxy-imide resins, 1667B
Epoxy/polyurethane blends, 67A
Epoxy resin, 1843A
—, internal stress, 885A
—, uniaxial mechanical properties, 915A
Epoxy resin blends, 2285B
Epoxy resins, 49A, 1173A, 1829A, 2281A, 2293A, 2821A, 37B
—, rubber modified, 2285B
Epoxy systems, thermal properties, 1173A
EPDM rubber, aging, 2205B
EPR, reaction with dicomyl peroxide, 2549A
Esters, 447B
Ethanol production, 437B
Ethylcellulose/hydroxypropyl methylcellulose blends, 2507B
Ethylene, copolymerization, 977B
—, homopolymerization, 977B
Ethylene ionomers, annealing effect, 1307A
—, physical aging, 2393A
—, thermal properties, 1307A
Ethylene oxide, 1835B
Ethylene-vinyl acetate (E-VA) copolymers, as biomedical polymers, 1397A
Ethyl methacrylate, copolymers, 1447A
Extinction oxygen index values, 1901B
Extinction phenomena, 2223B
Extrusion, 1493B

Fiber bifringence, measurement, 1399B
Fiber blends, poly(ethylene terephthalate) (PET)/poly(butylene terephthalate) (PBT), 759A
Fiber composites, filament-winding, 37B
Fiber orientation, paper sheet, 1145B
Fiber-reinforced composite materials, 1459B
Fibers, blending, 759A
Fibrous cellulose acetate, structure, 95A
Field-flow fractionation (FFF), 117A
Filament winding, 37B
Filler-plasticizer system, interfacial behavior, 507B
Film formation, 2631B
Fixed bed adsorbers, 1249A
Flame retardants, cellulose, 863B
Flame-retarding epoxy, 2733B
Flexible foams, 2025B
Flexible polymers, 1067A
Flexible polyurethane foam, residual isocyanate, 395B
Flory–Huggins interaction parameter, 945B
Fluidized electrode bed reactors, 2837B
Formaldehyde, 1367B, 1383B
Formaldehyde release, DMDHEU-treated cotton, 549B
Fourier analysis, 1693B
Fourier-transform infrared (FT-IR) attenuated total reflection (ATR) studies, 1889B
Free radical polymerization, 2859A
—, application of kinetic-diffusion model, 1315A
Free radical polymerization method, 727A
Free-volume theory of transport, 587B
Friedel–Crafts reactions, 191A
Functional group approach, 1367B, 1383B

Gas permeability, 1823A, 2701B
Gas sorption isotherms, 1657B
Gases, permeation through glassy polymers, 2403A
Generalized Maxwell model, 289A
Glassy polymer powders, 703B, 721B, 2493B
Glassy polymers, free-volume parameters, 2581A
—, penetrant transport, 2669A
Glow discharge polymerization, 2457B
Graft copolymerization, 1785A, 1853A, 2345A, 191B
Graft copolymers, 1859A, 2271A, 2163B, 2177B
Grafted casein films, 2299B
Grafted polymers, characteristics, 2743
Grafted polypropylene fibers, electrokinetic properties, 2753A
Grafting, xanthate method, 2517B
Graft polymerization, 899A, 2849A
Graphite fibers, 2105B
Guargum-based graft copolymers, biodegradation resistance, 1963A
Guayule rubber, degradation at high temperature, 1125A

HDPE/LDPE blends, flow behavior, 2053A
Heavy metal ions, binding, 1013B
Heterodisperse poly(acrylamide-co-sodium acrylate), dilute solution behavior, 1699A
—, expansion coefficients, 1683A
Heterogeneous systems, 2093B
1,6-Hexanediol diacrylate, photopolymerization, 2985A
High density polyethylenes, rheological behavior, 1335B
High modulus fibers, production, 2955A
High modulus films, production, 2955A
High performance liquid chromatography (HPLC), 2893A
High performance size exclusion chromatography (SEC), 1739B
Hindered amine/epoxides, reaction kinetics, 2959A
Hindered amine light stabilizers (HALS), 875A
Homopolymer–copolymer blends, gas permeation, 1503B
Hot nip drawing, 2955A
Hydrogen fluoride, and carbohydrates, 1291A
Hydroxyapatite, 2249B
Hydroxyethyl methacrylate, grafting, 871B
Hydroxyl groups, and natural rubber, 2731A
Hydroxy-terminated polymyrcenes, 2217A
Hyperbolic decay law, 1259A
Hyperfiltration, 1809A

Imidazoles, 2547B
—, as curing agents, 1843A

Immitted spruce wood meal (ISWM), 2063B
Infrared microspectroscopy, 107A
Injection-molded glassy polymers, fatigue tests, 577A, 607A
Injection molding, 1B, 19B
Interpenetrating polymeric network(s) (IPNs), 793A, 2529A, 409B, 2037B, 2151B
—, damping capabilities, 2637A
Intraparticle diffusion resistance, 1021A
Intrinsic viscosity, 891B
Inverse gas chromatography (IGC), 551A, 715A, 2377B
Iodine complexation method, 527B
Ion exchange membranes, paste method preparation, 847B
Ion exchange membranes/polycations, interaction, 1173B
Ion exchange resins, 3087A
Ions, equilibrium sorption, 2777B
IR spectroscopy, 2601B
Isocyanate amine reactions, 2409B
Isotactic polypropylene, high speed melt spinning, 1521B, 1541B

Jute fiber, 2809A
—, and stress relaxation, 1623A
—, modification by graft copolymerization, 1325B

Ketalization reaction, poly(vinyl alcohol) (PVA), 2065A
Ketones, 2065A
Kevlar aramid fibers, 1399B
Kinetic network model, 2053A

Laser optical diffraction analysis, 1145B
Laser treatment, 985A
Latex interpenetrating polymer networks (LIPN), 901B
—, synthesis variations, 215A
Lignin, 2915A
Lignocellulose materials, 1955A, 1779B, 2063B
—, cationization, 2651A, 1057B
Linear aromatic polyesters, 739A
Linear low-density polyethylene (LLDPE), deformation mechanism, 401A
Linear polysulfonates, 639B
Linear polythioesters, 143B
Lipolytic enzymes, 2125B
Liquid adsorption chromatography, 2689B
Liquid crystalline phase cellulose derivatives, 3019A
Liquid crystalline solutions, polymerization, 1109B
Liquid polysiloxanes, photo-crosslinking, 2189A
"Living" anionic polymerization, 2165A
Long-term strength (LTS), evaluation, 1943A
Low-angle laser light scattering (LALLS), 1909A
Low density polyethylenes (LDPEs), α-relaxation spectra, 2819B
—, long chain branch (LCB) concentrations, 87A
—, oxidation, 431B

Macromolecular compounds, release, 925A
Macroreticular chelating resin(s), 1993A, 1557B
Magnetic filler particles, 2853B
Magnetite–polyethylene composites, 2537B
Maleic anhydride–styrene–divinylbenzene (MAn–St–DVB) copolymer beads, 307B
bis-maleimide resins, effect of triallyl cyanurate, 151A
Mark–Houwink coefficients, 1311B
Mark–Houwink–Sakurada constants, 1699A
Mass spectrometry, 447B
Matrix resins, 2253A
Maxwell model, 203B
Mechanochemical transformation products, 703A
Melamine, 1367B, 1383B
Melt spinning, 1073A, 1089A, 1477B
—, influence of resin characteristics, 1521B, 1543B
—, orientational order, 809A
Melt-spun fibers, internal stress, 1073A, 1089A
—, molecular orientation, 1089A
Melt-spun poly(ethylene terephthalate) (PET) fibers, cold drawing, 1285B
Membrane permeability, 925A
Membrane technology, 337B
Metal soaps, 2355B
Methoxy groups, 2601B
Methyl acrylate, 2105B
Methyl methacrylate, aqueous polymerization, 1977A
—, continuous emulsion polymerization, 1259B
—, copolymers, 1447A
—, graft copolymerization, 21A, 1785A
—, graft copolymerization on holocellulose, 737B
—, graft polymerization, 2809A
Micelle photopolymerization, 477B
Microcapillary flow analysis, 693A
Microcrystalline chitosan, preparation, 177A
Microgels, 693A
Microhardness testing, 1125B
Miscible polymers, 2259A
—, diffusion in multilayer films, 1861B
Mixed monomers, grafting, 2707A
Mössbauer spectra, 1447A
Modified cellulose, kinetics of thermal degradation, 247A
—, morphological studies, 247A
—, spectroscopic studies, 247A
Modified chitosan membranes, 641A
Molecular weight distribution, 571B
Molecular weight, polymers, 3081A
Molten polymers, solubility of volatile liquids, 2605A
Monomers, photopolymerization, 1603B
Multiblock copolymers, 775A
Multifunctional monomers, 1835A
Multiphase polymeric systems, 431A

Natural rubber–carbon black system, 2623B
Natural rubber, environmental effects, 2439A
—, hydroxylated, 2731A
Natural rubber laces, 2591B
NBR, 2649B
Near-critical difluorodichloromethane, use in polymer processing, 521A
Newton–Raphson scheme, 1713B
Nitrile rubber composites, stress relaxation, 1623A
Nitrocellulose, thermal decomposition, 1359A
Nitrocellulose-based propellant grains, determining deterrent penetration, 107A
Nitroethane, plasma polymerization, 1641A
N,N'-substituted ureas, 2657B
Non-Newtonian fluids, viscosity behavior, 41A
Novel polyisobutylene-based urethane model networks, 2449A
Nylon, and acid dye, 305A
Nylon 6, 1745A
—, fibrillar structure development, 989A
Nylon-6 cords, adhesion characteristics, 913B
Nylon 6 film, conductive, 317A
Nylon 6/PET polymer blends, structure, 1103A
Nylon 6 tubular reactor, 933A
Nylon 6,6 polymerization, 2333A
—, system, 2333A
Nylon 11, molecular-weight distribution, 2433B
Nylon 66, of high hydrostatic pressures, 2151A
Nylon–asbestos composites, fiber pretreatment, 205A

Olefins, polymerization, 1021A, 657B
Oligomers, 2925A
On-line light-scattering detector, 2325B
Opaque spherical pigment particles, ultraviolet light screening characteristics, 1389A
Optical fiber coatings, calorimetric quality control, 2077A
Optical fibers, 2077A
Organic resist, 1677B
Organic solvent, 2125B
Organic solvents, pervaporation behavior, 2197B
Organoantimony compounds, 1785B
Organosilane polymer resist patterns, 2787A

Organosilicon deep UV positive resist, 2445B
Organotin polymers, 1735A
Osmocentrifugation, 853B

PAN, glass transition (T_g) temperature, 1675A
PAN fiber, viscoelastic behavior, 1675A
Particulates, and curing behavior, 419A
Paste method, ion exchange membranes, 847B
p-dimethylaminobenzylidene derivatives, 2747B
Penetrant transport, 2669A
Pervaporation process, 437B
Pervaporation technique, 2369A
Phenol-formaldehyde press powders, 1943A
Phenol-formaldehyde resins, 1933A
Phenol-furfural resin, 2583B
Phenolics, heat age testing, 2259B
Phenol lignin–formaldehyde resol resin, 2915A
Photocurable resins, 127B
Photo-induced graft copolymerization, 21A, 1853A
Photoreactive polyimides, 1763A
Photosensitive resins, 2747B
Plasma etching durability, 1677B
Plasma polymerization, 1641A
PMMA/BCPC, gas permeability, 2935A
PMMA/BCPC miscibility, 2935A
PMR-15 polyimide resin, 2893A
Polyacrylamide solutions, loss of flocculation activity, 669A
Polyacrylate-graft silica gel, 2125B
Polyacrylonitrile (PAN), preparation of carbon fibers, 2877A
Polyamide 6 membrane, 2399B
Polyamide–phenol temperature-sensing wire, 479A
Polyamidoimide (PAI), photodegradation, 2715A
Polyanions, 785A
Polyaromatic ether-ketones, physical properties, 1579A
cis-Polybutadiene, crystallization, 211B
Poly(butylene terephthalate), melt spinning, 1477B
—, melt-spun filaments, 1427A
Polycarbonate, thermal crystallization, 1959B
Polycarbonate (PC)–polystyrene (PS) blends, 945B
Polycarbonate-polyurethane semi-interpenetrating polymer networks, 2151B
Polychloroprene elastomers, 2479A
Polycondensation, 235B
Poly(3,4-dimethylenepyrrolidine), amide derivatives, 1157A
Poly[3-dimethyl (methacryloyloxyethyl) ammonium propane sulfonate], aqueous solution properties, 999B
Poly(2,6-dimethyl-1,4-phenylene oxide) (PPO), chemical modification, 191A
Polyelectrolytes, 2829B
Polyepichlorohydrin, tacticity, 909B
Polyester fabrics, hydrolysis, 455A
Polyester molding compounds, 2137A
Polyester resin mortar, 1609A
Polyester resins, 2859A
Polyesters, chain extenders, 3069A, 2609B, 2769B
Poly(etheretherketone) (PEEK), 2273B
—, crystallinity, 29A
—, tensile properties, 487A
Polyetheretherketone–carbon fiber composites, 505A
Polyethersulfideimide, siloxane-modified, 351B
Polyethersulfone, gas permeability, 1823A
Poly(ethyl methacrylate) (PEMA), sorption of propane, 1525A
Polyethylene melts, stress measurements, 289A
Polyethylene rods, glycerol contact angle measurements, 165A
—, surface and bulk morphology, 165A
Poly(ethylene terephthalate), aminolysis, 2503A
Polyethylene terephthalate (PET), crystallization kinetics, 85B, 97B, 103B
—, glassy state, 103B
—, flame retardation, 2041A
—, morphological effects, 2965A
—, structure, 835A
Poly(ethylene terephthalate) (PET) fibers, crystalline structures, 1479A
Polyethylene terephthalate/polyethylene films, cold drawing, 919B
Polyethylene terephthalate (PET) waste, 235B
Poly(glycolic acid) pellets, in vitro chemical degradation, 2411A
Polyimide (PI), photodegradation, 2715A
Polyimide films, spin coated, 815B
Polyimide precursors, 1763A
Polyimides, 1763A
Polyisobutylene (PIB), continuous polymer fractionation, 271B, 287B
Polymer analysis, 1923A
Polymer blend membranes, permeation behaviors, 625A
Polymer blends, 1103A
—, compatible, 1199A
—, morphology, 2053B
—, rheological behavior, 1199A, 1221A
—, wetting properties, 657A
Polymer composite, thermal conductivity, 1429B
Polymer degradation, 2353A
Polymer-fiber mixtures, 2467A
Polymer filaments, FT-IR study, 2047B
Polymer films, 1835B
Polymer-impregnated mortars, 1645B
Polymer latex separation, 853B
Polymer latexes, refractive index, 469B
Polymer materials, synthesis by electron beam (EB), 1793A
Polymer melt spinning, 2469B
Polymer-metal complexes, 1953B
Polymer powders, 2305A
Polymer properties, effect of particle heat, 1021A
Polymer resin systems, 77A
Polymer side chains, 423B
Polymer systems, between plates, 2623A
Polymer thin film thickness, interferometric measurement, 1777A
Polymeric lacquers, nitrocellulose (NC)-based, 247B
—, use in leather industry, 247B
Polymeric phenols, 1345B
Polymeric systems, photochemistry, 2189A
Polymers,
—, biomaterial applications, 1A
—, doubly oriented, 177B
—, electron beam effects, 1063B
—, light stabilization, 1389A
—, molar mass averages, 2325B
—, protection from degradation, 2249A
—, and renewable sources, 2217A, 2231A
—, and ultraviolet light, 2249A
—, wear behavior, 177B
Polymethacrylates, miscibility, 1849A
Poly(methyl methacrylate) (PMMA), graft copolymerization, 191B
—, thermal degradation, 377B
Poly(methyl methacrylate) blends, gas transport properties, 1037B
Poly(methyl methacrylate) (PMMA) rods, residual stress components, 627B
trans-polyoctenylene, 2649B
Polyolefin suspensions, rheological parameters, 617B
Poly(oxymethylene) (POM), at high hydrostatic pressures, 2151A
Poly(*p*-phenylene benzobisthiazole) nylon fibers, 931B
Poly(phenylene oxide) composites, 2223B
Poly(*p*-phenylene terephthalamide-*co*-ethylene terephthalates), effects of rigid segments, 1649A
Polyphosphonitride, flame-retardant action, 863B
Polypropylene, 1785B
—, die-drawing behavior, 2559A
—, injection-molded samples, 1B, 19B
—, skin-core structure, 1B, 19B
Polypropylene fibers, grafting, 2743, 2753A, 2761A
Polypropylene grafted fibers, electrical conductivity, 2761A
Polypropylene photostabilization, 875A
Polysaccharides, 1473A
—, degradation, 1413A
Poly(starch-*g*-(1-amidoethylene)) copolymers, properties, 1887A
Poly(starch-*g*-(1-amidoethylene)), properties, 1859A, 1873A

Polystyrene, chemical modification, 2769A
—, kinetics of styrene removal, 283A
—, thermal conductivity, 2029A
Poly(styrene-co-acrylonitrile) and poly(α-methyl styrene-co-acrylonitrile), miscibility with polymethacrylates, 353A
Polystyrene latex, synthesis, 2657A
Polystyrene pyromellitic dianhydride condensate, 2769A
Polytetrafluoroethylene (PTFE), mechanical relaxation process, 2839A
Polythioesters, 143B
Polyureaurethanes, NCO/NH_2 ratio, 1241A
Polyurethane elastomers, 2231A
Polyurethaneimides, dynamic mechanical behavior, 1941B
Polyurethanes, 1967B
—, castor oil-based, 651B
—, ion-dipole interactions, 2833A
—, kraft lignin contents, 1187B
—, segmented, 763B
Poly(vinyl acetate) (PVA)–natural rubber blend, dielectric behavior, 1447B
Poly(vinyl alcohol) (PVA), ketalization reaction, 1715A, 2065A
—, very thin films, 989B
Polyvinyl alcohol-g-butyl acrylate membrane, urease immobilized, 319B
Poly(vinyl alcohol) (PVA) films, fluorescence, 1577B
—, phosphorescence, 1577B
Poly(vinyl alcohol) (PVA) formulations, effects of gamma irradiation, 1727B
Poly(vinyl alcohol) latex membranes, 2187B
Poly(vinyl chloride) (PVC), 2355B
—, plasticized, 2689A
Poly(vinyl chloride) (PVC) compounds, rates of property change, 2493A
Polyvinylchloride (PVC) durability, 785B
Polyvinylpyridinium membranes, 2079B
Populus tremuloïdes, supercritical extraction, 359B
Porous media rheometry, 2353A
Portland cement mortar, 1609A
Positron annihilation, 95A
Positron annihilation spectroscopy (PAS) studies, 3055A
Potassium persulfate, thermal decomposition, 109B
PP composite, die swell, 1493B
Propane, sorption, 1525A
Propylene polymerization catalyst system, 1329B
Protein-reactive, molded polystyrene surfaces, 1917B
PVAc, and gases, 2403A
s-PVA gels, 2347B
PVC/CPE/EPDM polyblends, 1231A
Pyrolysis-evolved gas-infrared analysis (py-EGA-IR), 1631B

Quarternary ammonium groups, 1779B
Quenched isotactic polypropylene, 689B

Radiation-grafted polymers, biomaterial applications, 1A
Radiation induced grafting, 2707A
Radiation-induced grafting to PTFE, 2345A
Reactivity ratio products, 2559B
Refractive index, copolymers, 501B
—, polymers, 469B
Refractometry, 137A
Reinforced materials, elastic response, 2093B
Relaxation spectra, 203B
Resin copolymers, 2139B
Resins, adsorption capacities, 1275A
—, photocurable, 127B
Retardation spectra, 203B
Rigid polymers, thermal properties, 2029A
Rolltrusion technique, 2337B
Rubber, vulcanization, 1977B
Rubber elasticity theory, 881B
Rubber films, 489B
Rubber matrix, 913B
Rubber vulcanizates, chemical stress–relaxation, 223B
Rubbery polymers, gas transport, 3037A

Seeded emulsion polymerization, 885A, 1511A
Segmented polyurethanes, photolysis, 763B
Semicrystalline polymers, 29A
Silane coupling agent, condensation, 1619B
—, hydrolysis, 1619B
Silica fibers, 1949A
Silica-organic polymer cladding, 1949A
Silicone polymerization, 1135B
Silk fibers, 2849A
Simultaneous interpenetrating networks (IPN), 1803B
Size exclusion chromatography (SEC), 87A, 1909A
Soapless emulsion polymerization, 411A
Solute–membrane interactions, 1809A
Solute separation, 337B
Solvent self-diffusion coefficients, 587B
Sorbed penetrants, 2493B
Spectrophotometry, 1399B
Spruce wood meal (SWM), 2651A
Spun fibers, 2793B
Steam-exploded aspen wood chips, 1779B
Step growth polymerization, 571B
—, intramolecular reactions, 1835A
Sterically hindered amines (SHA), 353A
Stress–relaxation, 739A
Styrene, blends, 1817B
—, graft copolymerization, 227A
Styrene-butadiene-styrene (SBS) block copolymers, 1585A
Styrene-divinylbenzene copolymer/poly(vinyl chloride) systems, effect of polymerization temperature, 375A
Styrene removal, by thermal treatment in air, 283A
Supercritical fluid processing, 2925A
Supercritical fluids, 2925A
Suspension polymerization, 517B
Suspension polymerization processes, 2249B
Swellable polymers, penetrant transport, 533A
Syndiotacticity-rich poly(vinyl alcohol) hydrogel, melting temperature, 1983A
Synthetic membranes, 389A
Synthetic resins, 2139B

Temperature-sensing wire, 479A
Terminal epoxides, 77A
Ternary blends, 537B
Textile flammability, 1901B
Thermal conduction, 1429B
Thermal degradation, 1473A, 1985B
Thermodynamic parameters, determination, 715A
Thermogravimetry (TG), 2431A
Thermoplastic elastomers, 1581B
Thermoplastic matrix systems, 29A
Thermoplastic 1,2-polybutadiene rubber, 1581B
Thermoplastic polymer, 2273B
Thermoplastic polymers, preparation, 65B
Thermoplastic resins, rheological behavior, 1221A
Thermoplastic resins/poly(2-ethyl-2-oxazoline) (PEOx) blends, 887B
Thermoset polymers, 985A
Thermosetting polymers, 2137A
Thermotropic liquid crystalline polyesters, 743B
Thin-film composite membranes, 2713B
Time–Temperature–Transformation (TTT) Cure Diagrams, 1925B
Tosylated cellulose, thermal properties, 2317A
TPX/siloxane blend membranes, 559B
Transfer-molded polyurethane–polyester interpenetrating polymeric network, 793A
Transparent polymeric materials, microhardness testing, 1125B
Triblock copolymers, 1817B
—, rheology, 1585A
Tri-*n*-butyltin methacrylate (TBTM), 775B
Trimethoxy silane-modified polymers, 1377A
Trirefringence measurement, 1517A
Tritylated cellulose, thermal properties, 2317A
Trypsin, adsorption, 1439B
Turbulent drag reduction, polymer-fiber mixtures, 2467A
Two-dimensional channel geometry, 1495A
Two-phase polymer blends, 2793B
Two-stage emulsion polymers, phase rearrangement, 2007A

Ultracentrifugation, 1873A
Ultra-high molecular weight linear polyethylene, stress-relaxation behavior, 2809B
Ultrahigh molecular weight polyethylene (UHMWPE), melting, 593B
Ultra-narrow polymer fractions, polydispersity, 117A
Ultraviolet (UV) absorbers, 2087A
Ultraviolet (UV) irradiation, 489B
Ultraviolet screeners, effect in plastics, 525A
Ultraviolet spectrophotometry, 1923A
Unperturbed parameter, 1067A
Unsaturated polyesters, 2203A
Unsaturated polyester resins, 881B
—, curing behavior, 419A, 2859A, 793B, 1235B
—, synthesis, 1117B
Uranium, 1557B, 1993A
Urea sensors, 319B
Ureaurethane elastomers, 1241A

Vanadylacetylacetonate ($VO(acac)_2$) complex, 2849A
Vapor phase photografting, 3045A
Vapor pressure osmometry, 2619B
Vegetable tannin-vinyl graft copolymers, 2271A
Vinyl acetate, emulsion polymerization, 2117A
Vinyl chloride, copolymerization, 2681B
Vinyl chloride polymerization, 1749B
Vinyl monomers, 769A, 3045A
Vinyl polymers, crosslinking agents, 2389B
Vinyltetrazoles, polymerization, 769A
Viscometry, 3081A
Visible spectrophotometry, 1923A
Voigt model, 203B
Volatile liquids, infinite dilution diffusion coefficients, 551A

Water-ethanol perselective membranes, 1159B
Water-ethanol solution, 2369A
Water-soluble polyesters, 1879B
Wettability, 2485B
Wheat straw-*g*-polyacrylonitrile (PAN), saponification, 907A
Wood, distribution of water during drying, 1141A
Wood–water interactions, 1141A, 1187A
Wool, photoprotection, 2795A
—, photoprotective agents, 2087A
—, thermal behavior, 167B
Wool graft copolymers, 167B

Xanthan polysaccharide solutions, 825A
X-ray diffraction, 95A

Ziegler–Natta polymerization, butadiene, 829B